86/2

NATIONAL LIBRARY of MEDICINE

86-2

LITERATURE SEARCH

PREVENTION OF VENOUS THROMBOSIS AND PULMONARY EMBOLISM

NEWARK PUBLIC LIBRARY

APR 16 1986

U. S. GOVT. PUBS.
DEPOSITORY 376

January 1984 through January 1986

250 Citations in English

Prepared by Estelle J. Abrams

Venous thromboembolism is a common, age-related phenomenon, estimated to account for some 300,000 hospitalizations per year and 50,000 deaths. A number of high-risk groups of patients have been identified and various prophylactic methods have been tested in these groups. This bibliography covers deep venous thrombosis and pulmonary embolism. The citations include both diagnosis and prevention and focus on medical and surgical conditions identified as putting patients at high risk of developing thrombotic complications. The references do not include pre-clinical studies in animals, and, for the most part, do not deal with treatment modalities for existing thromboembolic conditions.

The bibliography was prepared in conjunction with the NIH Consensus Development Conference on Prevention of Venous Thrombosis and Pulmonary Embolism, March 24-26, 1986.

This bibliography contains references to recent articles selected from some 3,000 English and foreign language journals and a limited number of monographs. Articles from these journals and monographs are indexed for inclusion in *Index Medicus* and other bibliographies produced by the National Library of Medicine. The references in this Literature Search were retrieved from NLM's MEDLINE data base; the dates above show the period during which the references were added to MEDLINE.

Each citation is listed with the descriptors selected from NLM's list of Medical Subject Headings (MeSH) under which the article was indexed. MeSH descriptors of most significance in an article are identified with an asterisk. The article cited will be found in *Index Medicus* only under these starred descriptors.

A bracketed title indicates the article is in a foreign language. For foreign language articles the designation ENG.ABSTR. follows the publication date if the article includes an English abstract; language abbreviation in parenthesis follows.

A full explanation of the elements included in each citation, as well as a complete list of current NLM Literature Searches are included in *Index Medicus and Abridged Index Medicus*. To obtain a current list of Literature Search titles, write: Literature Search Program, Reference Section, National Library of Medicine, 8600 Rockville Pike, Bethesda, Maryland 20209. Please include your name and address typed on a gummed label (no return postage necessary).

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES • Public Health Service • National Institutes of Health

READEX

SEARCH STRATEGY

The formulation used in preparing this bibliography is given below. Please note that strategies for the Literature Searches differ from individual demand searches in that they are generally broadly formulated and irrelevant citations edited out before printing.

SS1 = subheadings apply pc, di, ra, ri

pulmonary embolism or thrombophlebitis

SS2 = thrombosis

subheadings cancel

SS3 = femoral vein or saphenous vein or veins or deep (tw) and venous (tw) or vein (tw)

SS4 = 1 or 2 and 3

SS5 = coronary vessels or portal vein or exp venae cavae or subclavian vein or mesenteric veins or splenic vein or renal veins or hepatic veins or jugular veins or umbilical veins

SS6 = 4 and not 5

SS7 = 6 and not for (la)

A

AbuRahma AF, Osborne L: A combined study of the strain gauge plethysmography and I-125 fibrinogen leg scan in the differentiation of deep vein thrombosis and postphlebitic syndrome. Am Surg 1984 Nov;50(11):585–8
ADOLESCENCE/ ADULT/ AGED/ DIAGNOSIS, DIFFERENTIAL/ *FIBRINOGEN, diagnostic use/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ MIDDLE AGE/ *PHLEBITIS, complications/ *PLETHYSMOGRAPHY/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radionuclide imaging

AbuRahma AF, Osborne L: Current status of the vascular laboratory in the diagnosis of deep vein thrombosis. Angiology 1984 Oct;35(10):659–66
ADOLESCENCE/ ADULT/ AGED/ DIAGNOSTIC ERRORS/ HUMAN/ *LABORATORIES, standards/ MIDDLE AGE/ PLETHYSMOGRAPHY/ *PULMONARY EMBOLISM, diagnosis/ *THROMBOPHLEBITIS, diagnosis/ WEST VIRGINIA

Adar R, Papa MZ, Amsterdam E, et al: Antithrombosis routines and hemorrhagic complications: a seven year survey comparing vascular and general surgical operations. J Cardiovasc Surg (Torino) 1985 May–Jun; 26(3):275–9
ADULT/ AGED/ ANTICOAGULANTS, administration & dosage/ *ANTICOAGULANTS, therapeutic use/ FEMALE/ *HEMORRHAGE, occurrence/ HEPARIN, administration & dosage/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS/ PROSPECTIVE STUDIES/ SUPPORT, NON-U.S. GOV'T/ THROMBOEMBOLISM, occurrence/ *THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, occurrence/ THROMBOPHLEBITIS, prevention & control/ *VASCULAR SURGERY

Alderson PO, Biello DR, Gottschalk A, et al: Tc-99m-DTPA aerosol and radioactive gases compared as adjuncts to perfusion scintigraphy in patients with suspected pulmonary embolism. Radiology 1984 Nov; 153(2):515–21
ADULT/ AEROSOLS, diagnostic use/ AGED/ COMPARATIVE STUDY/ *DTPA, diagnostic use/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PERFUSION/ *PULMONARY EMBOLISM, radionuclide imaging/ *TECHNETIUM, diagnostic use/ XENON RADIOISOTOPES, diagnostic use

Alho A, Stangeland L, Røttingen J, et al: Prophylaxis of venous thromboembolism by aspirin, warfarin and heparin in patients with hip fracture. A prospective clinical study with cost-benefit analysis. Ann Chir Gynaecol 1984;73(4):225–8
ADULT/ *ASPIRIN, therapeutic use/ COST BENEFIT ANALYSIS/ FEMALE/ *HEPARIN, therapeutic use/ *HIP FRACTURES, complications/ HUMAN/ MALE/ PROSPECTIVE STUDIES/ *PULMONARY EMBOLISM, prevention & control/ *PULMONARY VEINS/ *THROMBOPHLEBITIS, prevention & control/ *WARFARIN, therapeutic use

Anderson FA Jr: Impedance plethysmography in the diagnosis of arterial and venous disease. Ann Biomed Eng 1984;12(1):79–102
BLOOD VOLUME/ HUMAN/ MODELS, BIOLOGICAL/ *PLETHYSMOGRAPHY, IMPEDANCE/ THROMBOPHLEBITIS, diagnosis/ *VASCULAR DISEASES, diagnosis/ VENOUS INSUFFICIENCY, diagnosis

Aronen HJ, Korppi-Tommola T, Suoranta HT, et al: 99mTc-plasmin test in deep vein thrombosis of the leg. Eur J Nucl Med 1985;10(1–2):10–2
ADULT/ AGED/ DIAGNOSIS, DIFFERENTIAL/ FEMALE/ *FIBRINOLYSIN, diagnostic use/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ *TECHNETIUM, diagnostic use/ *THROMBOPHLEBITIS, radionuclide imaging

B

Barnes RW: Advances in management of peripheral vascular disease. J Arkansas Med Soc 1984 Jun; 81(1):88–93
ANGIOGRAPHY/ ARTERIAL OCCLUSIVE DISEASES, diagnosis/ CAROTID ARTERY DISEASES, diagnosis/ CEREBRAL ISCHEMIA, TRANSIENT, diagnosis/ HUMAN/ THROMBOPHLEBITIS, diagnosis/ VASCULAR DISEASES, diagnosis/ *VASCULAR DISEASES, therapy

Basart DC, Huisman MV, Büller HR, et al: Evaluation of impedance plethysmography as a single non-invasive test for the diagnosis of clinically suspected deep vein thrombosis. Neth J Med 1984;27(6):197–201
ADULT/ AGED/ ANTICOAGULANTS, therapeutic use/ COMPARATIVE STUDY/ EVALUATION STUDIES/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ *PLETHYSMOGRAPHY, IMPEDANCE/ PROSPECTIVE STUDIES/ RETROSPECTIVE STUDIES/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy

Baum PL: Heed the early warning signs of peripheral vascular disease (continuing education credit). Nursing 1985 Mar;15(3):50–8
AGED/ ARTERIAL OCCLUSIVE DISEASES, diagnosis/ CASE REPORT/ DIAGNOSIS, DIFFERENTIAL/ EDUCATION, NURSING, CONTINUING/ FEMALE/ HUMAN/ *LEG, blood supply/ MALE/ MIDDLE AGE/ THROMBOPHLEBITIS, diagnosis/ VASCULAR DISEASES, complications/ *VASCULAR DISEASES, diagnosis

Becker RC, Graor R, Holloway J: Pulmonary embolism: a review of 200 cases with emphasis on pathophysiology, diagnosis, and treatment. Cleve Clin Q 1984 Fall; 51(3):519–29
HUMAN/ *PULMONARY EMBOLISM/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, mortality/ PULMONARY EMBOLISM, physiopathology/ PULMONARY EMBOLISM, therapy/ RETROSPECTIVE STUDIES

Bentley PG, Kakkar VV: Advances in the prevention of venous thromboembolic disease. Adv Exp Med Biol 1984; 164:81–3
DIHYDROERGOTAMINE, therapeutic use/ GLYCOSAMINOGLYCANS, therapeutic use/ HUMAN/ MOLECULAR WEIGHT/ *THROMBOPHLEBITIS, prevention & control

Bergqvist D, Lindblad B: The thromboprophylactic effect of graded elastic compression stockings in combination with dextran 70. Arch Surg 1984 Nov;119(11):1329–31
AGED/ *CLOTHING/ *DEXTRANS, therapeutic use/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, prevention & control

Bergqvist D, Lindblad B, Ljungström KG, et al: Does dihydroergotamine potentiate the thromboprophylactic effect of dextran 70? A controlled prospective study in general and hip surgery. Br J Surg 1984 Jul;71(7):516–21
AGED/ CLINICAL TRIALS/ *DEXTRANS, therapeutic use/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG SYNERGISM/ DRUG THERAPY, COMBINATION/ EMERGENCIES/ FEMALE/ HIP FRACTURES, surgery/ HIP PROSTHESIS/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ RANDOM ALLOCATION/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, prevention & control

Bergqvist D, Gudmundsson G, Hallböök T: Does thromboprophylaxis increase the risk for infectious complications after total hip replacement? Vasa 1985;

14(3):269–71
AGED/ *DEXTRANS, adverse effects/ DEXTRANS, therapeutic use/ FEMALE/ HEMATOMA, chemically induced/ *HEPARIN, adverse effects/ HEPARIN, therapeutic use/ *HIP PROSTHESIS/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ RISK/ *SURGICAL WOUND INFECTION, etiology/ *THROMBOPHLEBITIS, prevention & control

Bianco MM, Fine J, Kaltman SJ: The diagnosis and management of pulmonary embolism.
J Oral Maxillofac Surg 1984 Sep;42(9):600–5
ELECTROCARDIOGRAPHY/ EMBOLISM, FAT, physiopathology/ HUMAN/ OXYGEN, blood/ PULMONARY EMBOLISM, blood/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, drug therapy/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, occurrence/ PULMONARY EMBOLISM, physiopathology/ PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging/ PULMONARY EMBOLISM, surgery

Bick RL, Wheeler A, Camposano N: A comparative study of the DuPont antithrombin III and fibrinogen assay systems. Am J Clin Pathol 1985 May;83(5):541–6
*ANTITHROMBIN III, analysis/ COMPARATIVE STUDY/ DISSEMINATED INTRAVASCULAR COAGULATION, diagnosis/ *FIBRINOGEN, analysis/ HUMAN/ METHODS/ PULMONARY EMBOLISM, diagnosis/ STATISTICS/ THROMBOPHLEBITIS, diagnosis

Blamey SL, McArdle BM, Burns P, et al: A double-blind trial of intramuscular stanozolol in the prevention of postoperative deep vein thrombosis following elective abdominal surgery. Thromb Haemost 1984 Feb 28; 51(1):71–4
ABDOMEN, surgery/ AGED/ DOUBLE-BLIND METHOD/ FEMALE/ FIBRINOLYSIS/ HUMAN/ INJECTIONS, INTRAMUSCULAR/ MALE/ MIDDLE AGE/ PLASMINOGEN ACTIVATORS, analysis/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ RANDOM ALLOCATION/ STANOZOLOL, administration & dosage/ *STANOZOLOL, therapeutic use/ *THROMBOPHLEBITIS, prevention & control

Blanchard SA, Sirridge M: Deep venous thrombosis in surgical patients: possible laboratory predictors.
South Med J 1985 Oct;78(10):1161–3
ADULT/ AGED/ BLOOD COAGULATION TESTS, instrumentation/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PARTIAL THROMBOPLASTIN TIME/ PLATELET AGGREGATION/ PLATELET COUNT/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ PREOPERATIVE CARE, methods/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, prevention & control

Blinder RA, Coleman RE: Evaluation of pulmonary embolism. Radiol Clin North Am 1985 Sep;23(3):391–405 (65 ref.)
ANGIOGRAPHY/ ANIMAL/ HUMAN/ LUNG, radionuclide imaging/ NUCLEAR MAGNETIC RESONANCE, diagnostic use/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging/ RADIOISOTOPES, diagnostic use/ RESPIRATION/ REVIEW/ SUBTRACTION TECHNIC/ SUPPORT, U.S. GOV'T, P.H.S./ TOMOGRAPHY, X-RAY COMPUTED

Boers M, Haak A: Cytomegalovirus infection with perfusion defects on the lung scan. Infection 1984 Jul–Aug;12(4):265–7
CASE REPORT/ *CYTOMEGALIC INCLUSION DISEASE, radionuclide imaging/ DIAGNOSIS, DIFFERENTIAL/ HUMAN/ LUNG DISEASES, etiology/ *LUNG DISEASES, radionuclide imaging/ MALE/ MIDDLE AGE/ PULMONARY EMBOLISM, radionuclide imaging/ TECHNETIUM TC 99M AGGREGATED ALBUMIN, diagnostic use

Bonini G, Cagnano C, Figus E, et al: Contribution to the diagnostic study of pulmonary embolism occurring as a complication of operations for the insertion of hip prostheses. Ital J Orthop Traumatol 1984 Mar; 10(1):127–30
BLOOD GAS ANALYSIS/ DIAGNOSIS, DIFFERENTIAL/ ELECTROCARDIOGRAPHY/ ENZYME TESTS/ *HIP JOINT, surgery/ *HIP PROSTHESIS/ HUMAN/ LUNG, radiography/ POSTOPERATIVE COMPLICATIONS/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, radiography

Bonnar J: Venous thromboembolism and gynecologic surgery. Clin Obstet Gynecol 1985 Jun;28(2):432–46
ADULT/ ANTICOAGULANTS, therapeutic use/ BLOOD COAGULATION FACTORS/ DEXTRANS, therapeutic use/ FEMALE/ FIBRINOLYSIS/ *GENITAL DISEASES, FEMALE, surgery/ GENITAL NEOPLASMS, FEMALE, complications/ HEPARIN, therapeutic use/ HUMAN/ POSTOPERATIVE COMPLICATIONS/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, surgery/ STREPTOKINASE, therapeutic use/ THROMBOEMBOLISM, drug therapy/ THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy/ *THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, surgery/ UROKINASE, therapeutic use

Bounameaux HM, Krähenbühl B: Accuracy of strain-gauge plethysmography for the diagnosis of deep vein thrombosis [letter] Thromb Res 1985 Feb 1;37(3):487–8
HUMAN/ *PLETHYSMOGRAPHY, standards/ *THROMBOPHLEBITIS, diagnosis

Bowen JS, Bookstein JJ, Johnson AD, et al: Wedge and subselective pulmonary angiography in pulmonary hypertension secondary to venous obstruction.
Radiology 1985 Jun;155(3):599–603
ADULT/ *ANGIOGRAPHY, methods/ CASE REPORT/ COLLATERAL CIRCULATION/ CONSTRICTION, PATHOLOGIC/ DIAGNOSIS, DIFFERENTIAL/ FEMALE/ HUMAN/ HYPERTENSION, PULMONARY, etiology/ *HYPERTENSION, PULMONARY, radiography/ HYPERTENSION, PULMONARY, radionuclide imaging/ LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ *PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, radiography/ PULMONARY VEINS, pathology/ *PULMONARY VEINS, radiography

Braun SD, Newman GE, Ford K, et al: Ventilation-perfusion scanning and pulmonary angiography: correlation in clinical high-probability pulmonary embolism. AJR 1984 Nov;143(5):977–80
COMPARATIVE STUDY/ HUMAN/ LUNG, radionuclide imaging/ METHODS/ PULMONARY ARTERY, radiography/ PULMONARY CIRCULATION/ PULMONARY EMBOLISM, radiography/ *PULMONARY EMBOLISM, radionuclide imaging/ XENON RADIOISOTOPES, diagnostic use

Breatnach E, Stanley RJ: CT diagnosis of segmental pulmonary artery embolus. J Comput Assist Tomogr 1984 Aug;8(4):762–4
ACUTE DISEASE/ ADULT/ CASE REPORT/ HUMAN/ MALE/ PULMONARY ARTERY, pathology/ *PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, pathology/ *PULMONARY EMBOLISM, radiography/ *TOMOGRAPHY, X-RAY COMPUTED

Briët E, Broekmans AW: Low-dose subcutaneous heparin for prevention of deep vein thrombosis in non-surgical patients. Neth J Med 1985;28(5):177–80
DOSE-RESPONSE RELATIONSHIP, DRUG/ *HEPARIN, therapeutic use/ HUMAN/ *THROMBOPHLEBITIS, prevention & control

Burton GH, Vernon P, Seed WA: An automated

quantitative analysis of ventilation-perfusion lung scintigrams. J Nucl Med 1984 May;25(5):564–70
ADULT/ AGING/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ KRYPTON, diagnostic use/ LUNG DISEASES, OBSTRUCTIVE, radionuclide imaging/ *LUNG, radionuclide imaging/ MALE/ PULMONARY EMBOLISM, radionuclide imaging/ RADIOISOTOPES, diagnostic use/ REFERENCE VALUES/ SERUM ALBUMIN, diagnostic use/ SEX CHARACTERISTICS/ SUPPORT, NON-U.S. GOV'T/ TECHNETIUM, diagnostic use/ *TOMOGRAPHY, EMISSION COMPUTED, methods/ *VENTILATION-PERFUSION RATIO

Burton GH, Seed WA, Vernon P: Computer analysis of ventilation-perfusion scans for detection and assessment of lung disease. Thorax 1985 Jul;40(7):519–25
ADULT/ AGED/ ASTHMA, physiopathology/ *ASTHMA, radionuclide imaging/ BLOOD GAS ANALYSIS/ *DIAGNOSIS, COMPUTER ASSISTED, methods/ FEMALE/ HUMAN/ LUNG DISEASES, physiopathology/ LUNG DISEASES, OBSTRUCTIVE, physiopathology/ *LUNG DISEASES, OBSTRUCTIVE, radionuclide imaging/ LUNG, physiopathology/ LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ PULMONARY EMBOLISM, physiopathology/ *PULMONARY EMBOLISM, radionuclide imaging/ RESPIRATORY FUNCTION TESTS/ SUPPORT, NON-U.S. GOV'T/ VENTILATION-PERFUSION RATIO

Buxton-Thomas MS, Wraight EP: The use of 99Tcm-DTPA aerosol ventilation scintigraphy in the diagnosis of pulmonary embolism.
Nucl Med Commun 1984 Jun;5(6):387–91
AEROSOLS/ DTPA, administration & dosage/ DTPA, diagnostic use/ HUMAN/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, radionuclide imaging/ TECHNETIUM, administration & dosage/ TECHNETIUM, diagnostic use/ VENTILATION-PERFUSION RATIO

Byrne P, Provan JL, Ameli FM, et al: The role of intraoperative heparin in reducing the incidence of postoperative deep venous thrombosis.
Surg Gynecol Obstet 1984 May;158(5):419–22
ADULT/ AGED/ FEMALE/ *HEPARIN, administration & dosage/ HUMAN/ INTRAOPERATIVE PERIOD/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control/ *VASCULAR SURGERY

C

Cassling RJ, Lois JF, Gomes AS: Unusual pulmonary angiographic findings in suspected pulmonary embolism.
AJR 1985 Nov;145(5):995–9
ADOLESCENCE/ ADULT/ CASE REPORT/ DIAGNOSIS, DIFFERENTIAL/ FEMALE/ HUMAN/ LUNG DISEASES, radiography/ LUNG NEOPLASMS, pathology/ LUNG NEOPLASMS, radiography/ MALE/ MIDDLE AGE/ NEOPLASM CIRCULATING CELLS/ *PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, radiography/ SARCOIDOSIS, radiography/ TAKAYASU SYNDROME, radiography

Chu DA, Ahn JH, Ragnarsson KT, et al: Deep venous thrombosis: diagnosis in spinal cord injured patients.
Arch Phys Med Rehabil 1985 Jun;66(6):365–8
ADOLESCENCE/ ADULT/ COMPARATIVE STUDY/ DIAGNOSIS, DIFFERENTIAL/ FALSE NEGATIVE REACTIONS/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PHYSICAL EXAMINATION/ *PLETHYSMOGRAPHY, IMPEDANCE/ *SPINAL CORD INJURIES, complications/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, etiology/ *ULTRASONIC DIAGNOSIS

Clarke-Pearson DL, Coleman RE, Siegel R, et al: Indium 111 platelet imaging for the detection of deep venous thrombosis and pulmonary embolism in patients without symptoms after surgery. Surgery 1985 Jul;98(1):98–104
*BLOOD PLATELETS/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ *HYDROXYQUINOLINES, diagnostic use/ *INDIUM, diagnostic use/ METHODS/ POSTOPERATIVE COMPLICATIONS, radionuclide imaging/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES, diagnostic use/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, radionuclide imaging/ 8-HYDROXYQUINOLINE, analogs & derivatives/ *8-HYDROXYQUINOLINE, diagnostic use

Clarke-Pearson DL, Creasman WT, Coleman RE, et al: Perioperative external pneumatic calf compression as thromboembolism prophylaxis in gynecologic oncology: report of a randomized controlled trial.
Gynecol Oncol 1984 Jun;18(2):226–32
AGED/ CLINICAL TRIALS/ FEMALE/ FIBRINOGEN, diagnostic use/ *GENITAL NEOPLASMS, FEMALE, surgery/ HEPARIN, therapeutic use/ HUMAN/ INTRAOPERATIVE CARE/ IODINE RADIOISOTOPES, diagnostic use/ LEG/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ POSTOPERATIVE CARE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PRESSURE/ *PULMONARY EMBOLISM, prevention & control/ RANDOM ALLOCATION/ *THROMBOPHLEBITIS, prevention & control

Clarke-Pearson DL, DeLong ER, Synan IS, et al: Complications of low-dose heparin prophylaxis in gynecologic oncology surgery. Obstet Gynecol 1984 Nov;64(5):689–94
ADULT/ AGED/ FEMALE/ FIBRIN FIBRINOGEN DEGRADATION PRODUCTS, analysis/ *GENITAL NEOPLASMS, FEMALE, surgery/ *HEMORRHAGE, chemically induced/ HEPARIN, administration & dosage/ *HEPARIN, adverse effects/ HUMAN/ INJECTIONS, SUBCUTANEOUS/ MIDDLE AGE/ PARTIAL THROMBOPLASTIN TIME/ PLATELET COUNT/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PREOPERATIVE CARE/ PROSPECTIVE STUDIES/ PULMONARY EMBOLISM, prevention & control/ *THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, prevention & control

Clarke-Pearson DL, Synan IS, Colemen RE, et al: The natural history of postoperative venous thromboemboli in gynecologic oncology: a prospective study of 382 patients. Am J Obstet Gynecol 1984 Apr 15; 148(8):1051–4
FEMALE/ *GENITAL NEOPLASMS, FEMALE, surgery/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ LEG, blood supply/ POSTOPERATIVE COMPLICATIONS, radionuclide imaging/ PROSPECTIVE STUDIES/ *PULMONARY EMBOLISM, radionuclide imaging/ *THROMBOEMBOLISM, radionuclide imaging/ TIME FACTORS

Clarke-Pearson DL, Synan IS, Hinshaw WM, et al: Prevention of postoperative venous thromboembolism by external pneumatic calf compression in patients with gynecologic malignancy. Obstet Gynecol 1984 Jan; 63(1):92–8
ADULT/ AGED/ *CLOTHING, methods/ FEMALE/ FIBRINOGEN, diagnostic use/ G SUITS/ GENITAL NEOPLASMS, FEMALE, complications/ *GENITAL NEOPLASMS, FEMALE, surgery/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ LEG, radionuclide imaging/ MIDDLE AGE/ PLETHYSMOGRAPHY, IMPEDANCE/ POSTOPERATIVE COMPLICATIONS/ *PULMONARY EMBOLISM, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Comerota AJ, White JV, Katz ML: Diagnostic methods for deep vein thrombosis: venous Doppler examination, phleborheography, iodine-125 fibrinogen uptake, and phlebography. Am J Surg 1985 Oct 8;150(4A):14–24
FIBRINOGEN, diagnostic use/ FLOWMETERS/ HEMODYNAMICS/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ LEG, blood supply/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography/ ULTRASONIC DIAGNOSIS

Comerota AJ, Stewart GJ, White JV: Combined dihydroergotamine and heparin prophylaxis of postoperative deep vein thrombosis: proposed mechanism of action. Am J Surg 1985 Oct 8;150(4A):39–44 (42 ref.)
ANIMAL/ ANTITHROMBIN III, metabolism/ BLOOD COAGULATION, drug effects/ DIHYDROERGOTAMINE, pharmacodynamics/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS, therapeutic use/ DRUG SYNERGISM/ HEPARIN, pharmacodynamics/ *HEPARIN, therapeutic use/ HUMAN/ JUGULAR VEINS, ultrastructure/ MICROSCOPY, ELECTRON, SCANNING/ MUSCLE, SMOOTH, VASCULAR, drug effects/ POSTOPERATIVE COMPLICATIONS, etiology/ POSTOPERATIVE COMPLICATIONS, prevention & control/ REVIEW/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

Coon WW: Anticoagulant therapy. Am J Surg 1985 Oct 8;150(4A):45–9
AMBULATORY CARE/ *ANTICOAGULANTS, therapeutic use/ BLOOD COAGULATION TESTS/ CLINICAL TRIALS/ COMPARATIVE STUDY/ DRUG THERAPY, COMBINATION/ HEPARIN, therapeutic use/ HUMAN/ POSTOPERATIVE COMPLICATIONS, prevention & control/ RANDOM ALLOCATION/ RISK/ *THROMBOPHLEBITIS, prevention & control/ TIME FACTORS/ WARFARIN, therapeutic use

Coon WW: Venous thromboembolism. Prevalence, risk factors, and prevention. Clin Chest Med 1984 Sep; 5(3):391–401 (108 ref.)
ADULT/ AGE FACTORS/ CHILD/ CONTRACEPTIVES, ORAL, adverse effects/ FEMALE/ HEART DISEASES, complications/ HUMAN/ INFANT/ MALE/ MIDDLE AGE/ NEOPLASMS, complications/ PARALYSIS, complications/ POSTOPERATIVE COMPLICATIONS/ PREGNANCY COMPLICATIONS, CARDIOVASCULAR/ PREGNANCY/ PUERPERIUM/ *PULMONARY EMBOLISM/ PULMONARY EMBOLISM, complications/ PULMONARY EMBOLISM, occurrence/ PULMONARY EMBOLISM, prevention & control/ REVIEW/ RISK/ SEX FACTORS/ *THROMBOPHLEBITIS/ THROMBOPHLEBITIS, complications/ THROMBOPHLEBITIS, occurrence/ THROMBOPHLEBITIS, prevention & control/ UNITED STATES/ WOUNDS AND INJURIES, complications

Cooney TG, Reuler JB: The swollen leg. West J Med 1985 Mar;142(3):405–8
DIAGNOSIS, DIFFERENTIAL/ HUMAN/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ *THROMBOPHLEBITIS, diagnosis

D

Dahlborn M, Ahlborg G, Söderborg B, et al: Gamma camera detection of 99mTC-plasmin in the diagnosis of deep-vein thrombosis. Eur J Nucl Med 1984; 9(11):499–501
ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ *FIBRINOLYSIN, diagnostic use/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ *TECHNETIUM, diagnostic use/ THROMBOPHLEBITIS, radiography/ *THROMBOPHLEBITIS, radionuclide imaging

Daly MJ: Predictive value of ventilation-perfusion scanning for pulmonary embolism [letter] AJR 1985 May; 144(5):1090–1
ANGIOGRAPHY/ COMPARATIVE STUDY/ FALSE NEGATIVE REACTIONS/ HUMAN/ *PULMONARY EMBOLISM, radiography/ *VENTILATION-PERFUSION RATIO

De Cock C, Vermeij P, Stijnen T: On the efficacy of low dose prednisolone and heparin sodium in the prevention of infusion thrombophlebitis. A double-blind trial. Pharm Weekbl [Sci] 1984 Apr 27;6(2):88–90
*CATHETERIZATION, adverse effects/ COMPARATIVE STUDY/ DOUBLE-BLIND METHOD/ *HEPARIN, therapeutic use/ HUMAN/ PREDNISOLONE, administration & dosage/ *PREDNISOLONE, therapeutic use/ PROSPECTIVE STUDIES/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

DeNardo SJ, Bogren HG, DeNardo GL: Detection of thrombophlebitis in the lower extremities: a regional comparison of 123I fibrinogen scintigraphy and contrast venography. AJR 1985 Nov;145(5):1045–52
COMPARATIVE STUDY/ DIAGNOSTIC ERRORS/ *FIBRINOGEN, diagnostic use/ HUMAN/ *IODINE RADIOISOTOPES, diagnostic use/ PHLEBOGRAPHY/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, radiography/ *THROMBOPHLEBITIS, radionuclide imaging

Dewanjee MK: Cardiac and vascular imaging with labeled platelets and leukocytes. Semin Nucl Med 1984 Jul; 14(3):154–87 (291 ref.)
ADULT/ ANIMAL/ AORTIC ANEURYSM, radionuclide imaging/ ARTERIOSCLEROSIS, radionuclide imaging/ *BLOOD PLATELETS/ *BLOOD VESSELS, radionuclide imaging/ CHROMIUM RADIOISOTOPES, diagnostic use/ DOGS/ FEMALE/ GUINEA PIGS/ *HEART, radionuclide imaging/ HUMAN/ INDIUM, diagnostic use/ INFECTION, radionuclide imaging/ *LEUKOCYTES/ MALE/ MIDDLE AGE/ MYOCARDIAL INFARCTION, radionuclide imaging/ NEUTROPHILS/ PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES, diagnostic use/ REVIEW/ SUPPORT, U.S. GOV'T, P.H.S./ THROMBOPHLEBITIS, radionuclide imaging/ THROMBOSIS, radionuclide imaging

di Ricco G, Marini C, Rindi M, et al: Pulmonary embolism in neurosurgical patients: diagnosis and treatment. J Neurosurg 1984 May;60(5):972–5
ADOLESCENCE/ ADULT/ AGED/ FEMALE/ HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ NERVOUS SYSTEM DISEASES, complications/ PULMONARY EMBOLISM, complications/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, drug therapy/ SUPPORT, NON-U.S. GOV'T

DiSerio FJ, Parno J, Singer JM: Limitation of impedance plethysmography in assessing efficacy of dihydroergotamine-heparin prophylaxis of deep vein thrombosis. Thromb Res 1985 Feb 1;37(3):449–58
BLOOD CIRCULATION/ CLINICAL TRIALS/ COMPARATIVE STUDY/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS, therapeutic use/ FALSE POSITIVE REACTIONS/ *HEPARIN, therapeutic use/ HIP PROSTHESIS, adverse effects/ HUMAN/ PHLEBOGRAPHY/ *PLETHYSMOGRAPHY, IMPEDANCE, standards/ PROSPECTIVE STUDIES/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, prevention & control/ VASOCONSTRICTION/ VEINS, physiology

DiSerio FJ, Sasahara AA: United States trial of dihydroergotamine and heparin prophylaxis of deep vein thrombosis. Am J Surg 1985 Oct 8;150(4A):25–32
ADULT/ AGED/ CLINICAL TRIALS/ COMPARATIVE STUDY/

*DIHYDROERGOTAMINE, therapeutic use/ DOUBLE-BLIND METHOD/ DRUG COMBINATIONS, therapeutic use/ FEMALE/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE CARE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PREMEDICATION/ PROSPECTIVE STUDIES/ RANDOM ALLOCATION/ RISK/ SURGERY, OPERATIVE/ *THROMBOPHLEBITIS, prevention & control/ UNITED STATES

Dismuke SE, VanderZwaag R: Accuracy and epidemiological implications of the death certificate diagnosis of pulmonary embolism. J Chronic Dis 1984; 37(1):67-73
ADULT/ AUTOPSY/ COMPARATIVE STUDY/ *DEATH CERTIFICATES/ EVALUATION STUDIES/ FEMALE/ HUMAN/ MARYLAND/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, mortality/ PULMONARY EMBOLISM, pathology

Donovan WH, Dwyer AP: An update on the early management of traumatic paraplegia (nonoperative and operative management). Clin Orthop 1984 Oct; (189):12-21 (28 ref.)
CONTRACTURE, prevention & control/ DECUBITUS ULCER, prevention & control/ DIGESTIVE SYSTEM DISEASES, prevention & control/ EARLY AMBULATION/ HUMAN/ PARAPLEGIA, psychology/ PARAPLEGIA, surgery/ *PARAPLEGIA, therapy/ PULMONARY EMBOLISM, prevention & control/ RESPIRATION DISORDERS, prevention & control/ REVIEW/ SPINAL CORD INJURIES, psychology/ SPINAL CORD INJURIES, surgery/ *SPINAL CORD INJURIES, therapy/ THROMBOPHLEBITIS, prevention & control/ TRAUMA CENTERS, economics/ UROLOGIC DISEASES, prevention & control

Douglas JT, Blamey SL, Lowe GD, et al: Plasma beta-thromboglobulin, fibrinopeptide A and B beta 15-42 antigen in relation to postoperative DVT, malignancy and stanozolol treatment. Thromb Haemost 1985 Apr 22;53(2):235-8
*BETA GLOBULINS, metabolism/ *BETA-THROMBOGLOBULIN, metabolism/ CLINICAL TRIALS/ DOUBLE-BLIND METHOD/ *FIBRIN FIBRINOGEN DEGRADATION PRODUCTS, metabolism/ *FIBRINOGEN, metabolism/ *FIBRINOPEPTIDES A, metabolism/ GASTROINTESTINAL DISEASES, surgery/ *GASTROINTESTINAL NEOPLASMS, blood/ GASTROINTESTINAL NEOPLASMS, surgery/ HUMAN/ POSTOPERATIVE COMPLICATIONS, blood/ *STANOZOLOL, therapeutic use/ THROMBOPHLEBITIS, blood/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

Dowsett DJ, Ennis JT, Collum CT, et al: Gold-195m: a steady-state imaging agent for venography that gives blood velocity measurement. J Nucl Med 1985 Aug; 26(8):859-67
ABDOMEN, blood supply/ *BLOOD FLOW VELOCITY/ EVALUATION STUDIES/ *GOLD RADIOISOTOPES, diagnostic use/ HALF-LIFE/ HUMAN/ LEG, blood supply/ MATHEMATICS/ MODELS, CHEMICAL/ RADIATION DOSAGE/ RADIONUCLIDE GENERATORS/ THROMBOPHLEBITIS, radionuclide imaging/ *VEINS, radionuclide imaging

Dure-Smith P, Tison JB: Ilio-femoral segment and inferior vena cava visualization using a non-catheter technique: an adjunct of leg phlebography. Radiology 1984 Oct; 153(1):251-2
ADULT/ AGED/ CASE REPORT/ CATHETERIZATION/ FEMALE/ FEMORAL VEIN, radiography/ HUMAN/ ILIAC VEIN, radiography/ MALE/ *PHLEBOGRAPHY, methods/ *THROMBOPHLEBITIS, radiography/ *THROMBOSIS, radiography/ *VENA CAVA, INFERIOR, radiography

Duroux P, Simonneau G, Petitpretz P, et al: Therapeutic approach to acute pulmonary embolism. Intensive Care Med 1984;10(2):99-102
ACUTE DISEASE/ ANTICOAGULANTS, administration & dosage/ ELECTROCARDIOGRAPHY/ *FIBRINOLYTIC AGENTS, administration & dosage/ HEPARIN, administration & dosage/ HUMAN/ PULMONARY EMBOLISM, prevention & control/ PULMONARY EMBOLISM, surgery/ *PULMONARY EMBOLISM, therapy/ THROMBOEMBOLISM, drug therapy/ UROKINASE, administration & dosage

E

Edenbrandt CM, Dahlström JA, Nilsson J, et al: Comparison between 99Tcm-porcine plasmin and 99Tcm-labelled erythrocytes in diagnosis of deep vein thrombosis. Clin Physiol 1984 Jun;4(3):243-52
ADULT/ AGED/ COMPARATIVE STUDY/ *ERYTHROCYTES/ EVALUATION STUDIES/ FALSE POSITIVE REACTIONS/ FEMALE/ *FIBRINOLYSIN, diagnostic use/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ PHOTOGRAPHY/ SCINTILLATION COUNTING/ SUPPORT, NON-U.S. GOV'T/ *TECHNETIUM, diagnostic use/ *THROMBOPHLEBITIS, radiography

Effeney DJ, Friedman MB, Gooding GA: Iliofemoral venous thrombosis: real-time ultrasound diagnosis, normal criteria, and clinical application. Radiology 1984 Mar; 150(3):787-92
ADULT/ FEMALE/ *FEMORAL VEIN/ FEMORAL VEIN, radiography/ HUMAN/ *ILIAC VEIN/ ILIAC VEIN, radiography/ MALE/ METHODS/ *THROMBOSIS, diagnosis/ THROMBOSIS, radiography/ *ULTRASONICS, diagnostic use/ VALSALVA'S MANEUVER

Eriksson L, Wollmer P, Jonson B, et al: SBT-CO2: a new method for the diagnosis of pulmonary embolism? Clin Physiol 1985;5 Suppl 3:111-5
ADULT/ AGED/ ANGIOGRAPHY/ *CARBON DIOXIDE/ FEMALE/ HUMAN/ MALE/ MATHEMATICS/ MIDDLE AGE/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography/ *RESPIRATORY FUNCTION TESTS

F

Farquharson DI, Orr JW Jr: Prophylaxis against thromboembolism in gynecologic patients. J Reprod Med 1984 Dec;29(12):845-62 (137 ref.)
ADULT/ AGED/ CLOTHING/ DEXTRANS, therapeutic use/ FEMALE/ FIBRINOGEN, diagnostic use/ *HEPARIN, therapeutic use/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ MIDDLE AGE/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY/ POSTOPERATIVE COMPLICATIONS, diagnosis/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, prevention & control/ REVIEW/ RISK/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, prevention & control/ ULTRASONIC DIAGNOSIS

Fasting H, Andersen K, Kraemmer Nielsen H, et al: Prevention of postoperative deep venous thrombosis. Low-dose heparin versus graded pressure stockings. Acta Chir Scand 1985;151(3):245-8
ADULT/ AGED/ CLINICAL TRIALS/ *CLOTHING/ COMPARATIVE STUDY/ FEMALE/ *HEPARIN, administration & dosage/ HUMAN/ MALE/ MIDDLE AGE/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

Ferris EJ, Holder JC, Lim WN, et al: Angiography of

pulmonary emboli: digital studies and balloon-occlusion cineangiography. AJR 1984 Feb;142(2):369-73
*ANGIOGRAPHY, methods/ CATHETERIZATION/ *CINEANGIOGRAPHY, methods/ HUMAN/ *PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging/ SUBTRACTION TECHNIC/ VENTILATION-PERFUSION RATIO

Flint KC, Johnson NM, Mannhire A, et al: Comparison of intravenous digital subtraction angiography with radionuclide ventilation-perfusion lung scanning in patients with suspected pulmonary embolism. Thorax 1985 Aug;40(8):576-80
ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ *LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ *PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging/ SUBTRACTION TECHNIC/ VENTILATION-PERFUSION RATIO

Fredin H, Gustafson C, Rosberg B: Hypotensive anesthesia, thromboprophylaxis and postoperative thromboembolism in total hip arthroplasty. Acta Anaesthesiol Scand 1984 Oct;28(5):503-7
AGED/ *ANESTHESIA, GENERAL/ *DEXTRANS, therapeutic use/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS, therapeutic use/ FEMALE/ HEMATOMA, prevention & control/ HEMORRHAGE, prevention & control/ *HEPARIN, therapeutic use/ *HIP PROSTHESIS/ HUMAN/ *HYPOTENSION, CONTROLLED/ INTRAOPERATIVE COMPLICATIONS, prevention & control/ MALE/ MIDDLE AGE/ NITROPRUSSIDE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PREMEDICATION/ PROSPECTIVE STUDIES/ PULMONARY EMBOLISM, prevention & control/ SUPPORT, NON-U.S. GOV'T/ *THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, prevention & control

Fredin HO, Arborelius M Jr, Hellekant C: Scintigraphy and chest radiography in the screening of pulmonary embolism after total hip replacement. Respiration 1985; 47(3):171-6
EVALUATION STUDIES/ FEMALE/ *HIP PROSTHESIS, adverse effects/ HUMAN/ MALE/ PULMONARY EMBOLISM, etiology/ *PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging

Fredin HO, Rosberg B, Arborelius M Jr, et al: On thrombo-embolism after total hip replacement in epidural analgesia: a controlled study of dextran 70 and low-dose heparin combined with dihydroergotamine. Br J Surg 1984 Jan;71(1):58-60
AGED/ ANESTHESIA, EPIDURAL/ COMPARATIVE STUDY/ DIHYDROERGOTAMINE, adverse effects/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG THERAPY, COMBINATION/ FEMALE/ *HEPARIN, administration & dosage/ HEPARIN, adverse effects/ *HIP PROSTHESIS/ HUMAN/ MALE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, prevention & control/ SUPPORT, NON-U.S. GOV'T/ *THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, prevention & control

G

Gallus AS, Chooi CC, Konetschnik F, et al: Oral contraceptives and surgery: reduced antithrombin and antifactor Xa levels without postoperative venous thrombosis in low-risk patients. Thromb Res 1984 Sep 1;35(5):513-26
ADOLESCENCE/ ADULT/ *ANTITHROMBIN III, metabolism/ *ANTITHROMBINS, metabolism/ COMPARATIVE STUDY/ *CONTRACEPTIVES, ORAL, adverse effects/ ESTROGENS, SYNTHETIC, adverse effects/ FEMALE/ HUMAN/ LEG/ MIDDLE AGE/ *POSTOPERATIVE COMPLICATIONS, etiology/ RISK/ SUPPORT, NON-U.S. GOV'T/ *THROMBOSIS, etiology/ THROMBOSIS, radionuclide imaging

Garmon RG: Pulmonary embolism: incidence, diagnosis, prevention, and treatment. J Am Osteopath Assoc 1985 Mar;85(3):176-85
ADULT/ AGED/ BLOOD GROUPS/ CARDIOVASCULAR DISEASES, complications/ CONTRACEPTIVES, ORAL, HORMONAL, adverse effects/ FEMALE/ FIBRINOLYTIC AGENTS, therapeutic use/ HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ NEOPLASMS, complications/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, therapy/ RISK/ THROMBOPHLEBITIS, complications/ THROMBOPHLEBITIS, diagnosis

Gift DA, Schonbein WR, Saenger EL, et al: Application of an information-theoretic method for efficacy assessment. J Nucl Med 1985 Jul;26(7):807-11
HUMAN/ *INFORMATION THEORY/ *LUNG, radionuclide imaging/ MODELS, BIOLOGICAL/ PATTERN RECOGNITION/ PROBABILITY/ *PULMONARY EMBOLISM, radionuclide imaging/ REFERRAL AND CONSULTATION/ SUPPORT, U.S. GOV'T, NON-P.H.S.

Giuntini C: Do radioisotope techniques fulfil their role in the diagnosis of pulmonary embolism?
J Nucl Med Allied Sci 1985 Jan-Jun;29(1-2):1-6
HUMAN/ ITALY/ MASS SCREENING, methods/ PULMONARY EMBOLISM, occurrence/ *PULMONARY EMBOLISM, radionuclide imaging/ SUPPORT, NON-U.S. GOV'T

Giyanani VL, Mirfakhraee M, Gerlock AJ Jr, et al: Computed tomography of internal jugular vein thrombosis. J Comput Tomogr 1985 Jan;9(1):33-7
ADOLESCENCE/ ADULT/ CASE REPORT/ FEMALE/ HUMAN/ *JUGULAR VEINS, radiography/ OTITIS EXTERNA, diagnosis/ OTITIS EXTERNA, radiography/ OTITIS MEDIA, diagnosis/ OTITIS MEDIA, radiography/ THROMBOSIS, diagnosis/ *THROMBOSIS, radiography/ *TOMOGRAPHY, X-RAY COMPUTED/ ULTRASONIC DIAGNOSIS

Goldberg RJ, Gore JM, Dalen JE: The role of anticoagulant therapy in acute myocardial infarction. Am Heart J 1984 Nov;108(5):1387-93 (32 ref.)
*ANTICOAGULANTS, therapeutic use/ CEREBROVASCULAR DISORDERS, physiopathology/ CLINICAL TRIALS/ COMPARATIVE STUDY/ CORONARY DISEASE, drug therapy/ FEMALE/ FIBRINOLYTIC AGENTS, therapeutic use/ GREAT BRITAIN/ HEPARIN, therapeutic use/ HUMAN/ MALE/ *MYOCARDIAL INFARCTION, drug therapy/ MYOCARDIAL INFARCTION, mortality/ MYOCARDIAL INFARCTION, physiopathology/ PHENINDIONE, therapeutic use/ PULMONARY EMBOLISM, prevention & control/ REVIEW/ TIME FACTORS/ UNITED STATES VETERANS ADMINISTRATION/ UNITED STATES/ WARFARIN, therapeutic use

Gore M, Miller KE, Soong SJ, et al: Vascular plasminogen activator levels and thromboembolic disease in patients with gynecologic malignancies. Am J Obstet Gynecol 1984 Aug 15;149(8):830-4
FEMALE/ FIBRINOGEN, diagnostic use/ *GENITAL NEOPLASMS, FEMALE, blood/ GENITAL NEOPLASMS, FEMALE, complications/ GENITAL NEOPLASMS, FEMALE, surgery/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ OVARIAN NEOPLASMS, blood/ *PLASMINOGEN ACTIVATORS, blood/ PLETHYSMOGRAPHY, IMPEDANCE/ POSTOPERATIVE COMPLICATIONS/

SUPPORT, U.S. GOV'T, P.H.S./ *THROMBOEMBOLISM, blood/ THROMBOEMBOLISM, etiology/ THROMBOEMBOLISM, prevention & control/ UTERINE NEOPLASMS, blood

Gram J, Jespersen J: On the diagnosis of deep venous thrombosis in patients at risk. Dan Med Bull 1984 Apr; 31(2):149-53
DISEASE SUSCEPTIBILITY/ FIBRINOGEN, diagnostic use/ FIBRINOLYSIN, diagnostic use/ FIBRINOLYSIN, pharmacodynamics/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ PHLEBOGRAPHY, methods/ PILOT PROJECTS/ PLETHYSMOGRAPHY, IMPEDANCE/ RISK/ SUPPORT, NON-U.S. GOV'T/ TECHNETIUM, diagnostic use/ TECHNETIUM, pharmacodynamics/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography/ ULTRASONICS, diagnostic use

Gram J, Jespersen J, Astrup T: Diagnosis of deep-vein thrombosis [letter] Lancet 1984 Dec 15;2(8416):1399-400
COMPARATIVE STUDY/ HUMAN/ PHLEBOGRAPHY/ *THROMBOPHLEBITIS, radiography/ *THROMBOPHLEBITIS, radionuclide imaging/ VEINS, radionuclide imaging

Gray HW, Pearson DW, Moran F, et al: Reporting of ventilation perfusion images for pulmonary embolism: accuracy and precision. Eur J Nucl Med 1984;9(4):151-3
ANGIOGRAPHY/ FEMALE/ HUMAN/ MALE/ PULMONARY EMBOLISM, radiography/ *PULMONARY EMBOLISM, radionuclide imaging/ SERUM ALBUMIN, diagnostic use/ TECHNETIUM, diagnostic use/ *VENTILATION-PERFUSION RATIO/ XENON RADIOISOTOPES, diagnostic use

Grossman ZD, Ellis DA, Brigham SC, et al: Digital subtraction angiography of the pulmonary arteries for the diagnosis of pulmonary embolism [letter] Radiology 1984 Mar;150(3):843-4
HUMAN/ *PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, radiography/ *SUBTRACTION TECHNIC

Gruber UF, Rem J, Meisner C, et al: Prevention of thromboembolic complications with miniheparin-dihydroergotamine in patients undergoing lumbar disc operations.
Eur Arch Psychiatry Neurol Sci 1984;234(3):157-61
ADULT/ BLOOD COAGULATION TESTS/ CLINICAL TRIALS/ DIHYDROERGOTAMINE, adverse effects/ *DIHYDROERGOTAMINE, therapeutic use/ DOSE-RESPONSE RELATIONSHIP, DRUG/ DOUBLE-BLIND METHOD/ DRUG COMBINATIONS, adverse effects/ DRUG COMBINATIONS, therapeutic use/ FEMALE/ HEMORRHAGE, chemically induced/ HEPARIN, adverse effects/ *HEPARIN, therapeutic use/ HUMAN/ *INTERVERTEBRAL DISK DISPLACEMENT, surgery/ MALE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, prevention & control/ *THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, prevention & control

Gruber UF: Prevention of fatal pulmonary embolism in patients with fractures of the neck of the femur.
Surg Gynecol Obstet 1985 Jul;161(1):37-42
AGED/ COMPARATIVE STUDY/ *DEXTRANS, therapeutic use/ DIHYDROERGOTAMINE, adverse effects/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS, adverse effects/ DRUG COMBINATIONS, therapeutic use/ FEMALE/ *FEMORAL NECK FRACTURES, complications/ FEMORAL NECK FRACTURES, surgery/ HEPARIN, adverse effects/ *HEPARIN, therapeutic use/ HUMAN/ LENGTH OF STAY/ MALE/ MIDDLE AGE/ *PHENINDIONE, therapeutic use/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, mortality/ *PULMONARY EMBOLISM, prevention & control

Gutierrez FR, Biello D, McKnight RC: Digital venous angiography in the diagnosis of pulmonary thromboembolism. Cathet Cardiovasc Diagn 1984; 10(4):343-8
ADULT/ AGED/ *ANGIOGRAPHY, methods/ DIAGNOSIS, DIFFERENTIAL/ FEMALE/ HUMAN/ LUNG, blood supply/ MALE/ MIDDLE AGE/ *PULMONARY EMBOLISM, radiography/ SUBTRACTION TECHNIC

H

Halstuk K, Mahler D, Baker WH: Late sequelae of deep venous thrombosis. Diagnostic and therapeutic considerations. Am J Surg 1984 Feb;147(2):216-20
CLOTHING/ *FEMORAL VEIN/ FOLLOW-UP STUDIES/ HEPARIN, administration & dosage/ HUMAN/ *ILIAC VEIN/ PLETHYSMOGRAPHY, methods/ POPLITEAL VEIN/ REGIONAL BLOOD FLOW/ SYNDROME/ *THROMBOSIS, diagnosis/ THROMBOSIS, therapy/ ULTRASONICS, diagnostic use/ WARFARIN, administration & dosage

Harley DP, White RA, Nelson RJ, et al: Pulmonary embolism secondary to venous thrombosis of the arm. Am J Surg 1984 Feb;147(2):221-4
ADOLESCENCE/ ADULT/ *AXILLARY VEIN/ AXILLARY VEIN, radiography/ FEMALE/ FOLLOW-UP STUDIES/ HEPARIN, administration & dosage/ HUMAN/ MALE/ MIDDLE AGE/ PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, drug therapy/ *PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, radiography/ *SUBCLAVIAN VEIN/ SUBCLAVIAN VEIN, radiography/ *THROMBOSIS, complications/ THROMBOSIS, drug therapy/ THROMBOSIS, radiography/ WARFARIN, administration & dosage

Harris WH, McKusick K, Athanasoulis CA, et al: Detection of pulmonary embolism after total hip replacement using serial C15O2 pulmonary scans.
J Bone Joint Surg [Am] 1984 Dec;66(9):1388-93
ADULT/ AGED/ ANGIOGRAPHY/ *CARBON DIOXIDE, diagnostic use/ FEMALE/ FIBRINOGEN, diagnostic use/ *HIP PROSTHESIS/ HUMAN/ MALE/ MIDDLE AGE/ OXYGEN RADIOISOTOPES, diagnostic use/ POSTOPERATIVE COMPLICATIONS, diagnosis/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, radionuclide imaging/ SUPPORT, NON-U.S. GOV'T/ SUPPORT, U.S. GOV'T, P.H.S./ THROMBOEMBOLISM, diagnosis/ THROMBOEMBOLISM, prevention & control/ VENTILATION-PERFUSION RATIO

Harris WH, Athanasoulis CA, Waltman AC, et al: Prophylaxis of deep-vein thrombosis after total hip replacement. Dextran and external pneumatic compression compared with 1.2 or 0.3 gram of aspirin daily. J Bone Joint Surg [Am] 1985 Jan;67(1):57-62
*ASPIRIN, administration & dosage/ CLINICAL TRIALS/ COMPARATIVE STUDY/ *DEXTRANS, administration & dosage/ DEXTRANS, adverse effects/ FEMALE/ *HIP PROSTHESIS/ HUMAN/ MALE/ METHODS/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ RANDOM ALLOCATION/ SEX FACTORS/ SUPPORT, NON-U.S. GOV'T/ SUPPORT, U.S. GOV'T, P.H.S./ *THROMBOPHLEBITIS, prevention & control

Hasegawa H: Current status of pulmonary thromboembolism--incidence, diagnosis, classification, pathogenesis, and treatment. Jpn Circ J 1984 Jan; 48(1):100-10
ADULT/ AGED/ ANIMAL/ ANTIPLASMIN, analysis/ ANTITHROMBIN III, analysis/ BLOOD COAGULATION, drug effects/ DEXTRANS, administration & dosage/ FEMALE/ FIBRIN FIBRINOGEN DEGRADATION PRODUCTS, analysis/

FIBRINOGEN, analysis/ HEPARIN, administration & dosage/ HUMAN/ JAPAN/ MALE/ MIDDLE AGE/ PULMONARY EMBOLISM, classification/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, drug therapy/ PULMONARY EMBOLISM, occurrence/ RABBITS/ SUPPORT, NON-U.S. GOV'T/ UROKINASE, administration & dosage

Hayes AC, Baker WH: Heparin prophylaxis trials of venous thrombosis: a critical review. Semin Thromb Hemost 1985 Apr;11(2):222-6 (21 ref.)
BLOOD COAGULATION TESTS/ CLINICAL TRIALS/ COMPARATIVE STUDY/ FIBRINOGEN, diagnostic use/ FIBRINOGEN, metabolism/ HEMATOMA, chemically induced/ HEMATURIA, chemically induced/ HEMORRHAGE, chemically induced/ HEPARIN, administration & dosage/ HEPARIN, adverse effects/ *HEPARIN, therapeutic use/ HUMAN/ PHLEBOGRAPHY/ PLACEBOS/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, prevention & control/ RANDOM ALLOCATION/ REVIEW/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, radiography

Hessov I: Prevention of infusion thrombophlebitis. Acta Anaesthesiol Scand [Suppl] 1985;82:33-7 (48 ref.)
CARBOHYDRATES, administration & dosage/ CATHETERIZATION, methods/ FILTRATION/ HEPARIN, pharmacodynamics/ HUMAN/ HYDROCORTISONE, pharmacodynamics/ HYDROGEN-ION CONCENTRATION/ *INFUSIONS, PARENTERAL, adverse effects/ INFUSIONS, PARENTERAL, methods/ REVIEW/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control/ TIME FACTORS

Hirose M, Inada K: Postoperative deep vein thrombosis--early diagnosis and prophylaxis. Jpn Circ J 1984 Jan;48(1):111-7
ADULT/ AGED/ BETA-THROMBOGLOBULIN, analysis/ BLOOD COAGULATION/ CHOLECYSTECTOMY/ CLOTHING/ COLECTOMY/ FEMALE/ FIBRINOGEN, diagnostic use/ FIBRINOLYSIS/ GASTRECTOMY/ HUMAN/ HYSTERECTOMY/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, prevention & control

Hirsh J: Heparin induced bleeding. Nouv Rev Fr Hematol 1984;26(4):261-6
CLINICAL TRIALS/ DOSE-RESPONSE RELATIONSHIP, DRUG/ *HEMORRHAGE, chemically induced/ *HEPARIN, adverse effects/ HEPARIN, therapeutic use/ HUMAN/ MOLECULAR WEIGHT/ PLACEBOS/ RISK/ THROMBOEMBOLISM, prevention & control

Hirsh J: New approaches for deep vein thrombosis occurring after surgery [editorial] JAMA 1984 Jun 8; 251(22):2985-6
*DIHYDROERGOTAMINE, analogs & derivatives/ DIHYDROERGOTAMINE, administration & dosage/ DRUG THERAPY, COMBINATION/ *HEPARIN, administration & dosage/ HUMAN/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Hobson RW 2d, Lee BC, Lynch TG, et al: Use of intermittent pneumatic compression of the calf in femoral venous reconstruction. Surg Gynecol Obstet 1984 Sep; 159(3):284-6
ADOLESCENCE/ BLOOD FLOW VELOCITY/ CASE REPORT/ FEMORAL VEIN, injuries/ *FEMORAL VEIN, surgery/ HUMAN/ *LEG, blood supply/ MALE/ METHODS/ POPLITEAL VEIN, surgery/ PRESSURE/ SAPHENOUS VEIN, transplantation/ *THROMBOSIS, prevention & control/ WOUNDS, STAB, surgery

Holm HA, Abildgaard U, Kalvenes S, et al: The antithrombotic effect of heparin in deep venous thrombosis: relation to four heparin assays. Acta Med Scand 1984;216(3):287-93
AGED/ BLOOD COAGULATION TESTS/ FEMALE/ HEPARIN, blood/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ PROSPECTIVE STUDIES/ PULMONARY EMBOLISM, etiology/ THROMBOPHLEBITIS, complications/ *THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, radiography

Howe HR Jr, Hansen KJ, Plonk GW Jr: Expanded criteria for the diagnosis of deep venous thrombosis. Use of the pulse volume recorder and Doppler ultrasonography. Arch Surg 1984 Oct;119(10):1167-70
ADOLESCENCE/ ADULT/ AGED/ FALSE NEGATIVE REACTIONS/ FALSE POSITIVE REACTIONS/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ *THROMBOPHLEBITIS, diagnosis/ *ULTRASONICS, diagnostic use

Huisman MV, ten Cate JW, Büller HR: Oral anticoagulants after calf-vein thrombosis [letter] Lancet 1985 Nov 2; 2(8462):1011
ADMINISTRATION, ORAL/ *ANTICOAGULANTS, administration & dosage/ ANTICOAGULANTS, therapeutic use/ CLINICAL TRIALS/ HUMAN/ RECURRENCE/ *THROMBOPHLEBITIS, prevention & control

Hull R: The diagnosis of acute recurrent deep-vein thrombosis. Int J Cardiol 1984 May;5(5):643-8
COSTS AND COST ANALYSIS/ DIAGNOSIS, DIFFERENTIAL/ FIBRINOGEN, diagnostic use/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ PLETHYSMOGRAPHY, IMPEDANCE/ RECURRENCE/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography

Hull RD, Raskob GE, LeClerc JR, et al: The diagnosis of clinically suspected venous thrombosis. Clin Chest Med 1984 Sep;5(3):439-56 (63 ref.)
COST BENEFIT ANALYSIS/ DIAGNOSIS, DIFFERENTIAL/ FIBRINOGEN, diagnostic use/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ RECURRENCE/ REVIEW/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography/ THROMBOPHLEBITIS, radionuclide imaging/ ULTRASONIC DIAGNOSIS

Hull RD, Hirsh J, Carter CJ, et al: Diagnostic efficacy of impedance plethysmography for clinically suspected deep-vein thrombosis. A randomized trial. Ann Intern Med 1985 Jan;102(1):21-8
ADULT/ AGED/ ANTICOAGULANTS, therapeutic use/ CLINICAL TRIALS/ FEMALE/ FIBRINOGEN, diagnostic use/ FOLLOW-UP STUDIES/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ MALE/ MIDDLE AGE/ *PLETHYSMOGRAPHY, IMPEDANCE/ PULMONARY EMBOLISM, etiology/ RANDOM ALLOCATION/ RESEARCH DESIGN/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, radionuclide imaging

Husted SE, Nielsen HK, Krusell L, et al: Deep vein thrombosis detection by 99mTc-plasmin test and phlebography. Br J Surg 1984 Jan;71(1):65-6
ADOLESCENCE/ ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ *FIBRINOLYSIN, diagnostic use/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ SCINTILLATION COUNTING/ *TECHNETIUM, diagnostic use/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography/ TIME FACTORS

Hyers TM: New challenges in venous thromboembolic disease. Clin Chest Med 1984 Sep;5(3):385-90
HUMAN/ PULMONARY EMBOLISM,

therapy/ RISK/ *THROMBOEMBOLISM/ THROMBOEMBOLISM, diagnosis/ THROMBOEMBOLISM, drug therapy/ THROMBOEMBOLISM, occurrence/ THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy

I

Immelman EJ, Jeffery PC: The postphlebitic syndrome. Pathophysiology, prevention and management. Clin Chest Med 1984 Sep;5(3):537-50 (101 ref.)
CHRONIC DISEASE/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ REVIEW/ SUPPORT, NON-U.S. GOV'T/ SYNDROME/ *THROMBOPHLEBITIS/ THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, physiopathology/ THROMBOPHLEBITIS, therapy/ *VENOUS INSUFFICIENCY/ VENOUS INSUFFICIENCY, prevention & control/ VENOUS INSUFFICIENCY, physiopathology/ VENOUS INSUFFICIENCY, therapy

J

Jay R, Hull R, Carter C, et al: Outcome of abnormal impedance plethysmography results in patients with proximal-vein thrombosis: frequency of return to normal. Thromb Res 1984 Nov 1;36(3):259-63
COMPARATIVE STUDY/ HUMAN/ PLETHYSMOGRAPHY, IMPEDANCE/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, physiopathology/ TIME FACTORS

Jeffery PC, Immelman EJ, Benatar SR: Comparison of impedance plethysmography with ascending venography for the diagnosis of proximal deep-vein thrombosis. S Afr Med J 1985 Jan 5;67(1):15-8
COMPARATIVE STUDY/ EVALUATION STUDIES/ HUMAN/ *PHLEBOGRAPHY/ PHLEBOGRAPHY, methods/ *PLETHYSMOGRAPHY, IMPEDANCE/ PLETHYSMOGRAPHY, IMPEDANCE, methods/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, diagnosis/ ULTRASONIC DIAGNOSIS

Jennings SA, Heather BP, Greenhalgh RM: Effect of continuous low-dose intravenous heparin administered during operation on postoperative measurements of antithrombin III and antifactor Xa. Surgery 1984 Sep; 96(3):550-5
ABDOMEN, surgery/ AGED/ *ANTITHROMBIN III, analysis/ *FACTOR X, antagonists & inhibitors/ FEMALE/ *HEPARIN, therapeutic use/ HUMAN/ INTRAOPERATIVE CARE/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ RISK/ *THROMBOPHLEBITIS, prevention & control

Johnson CM, Sheedy PF, Earnest F 4th, et al: Digital subtraction angiography. Surg Clin North Am 1984 Feb; 64(1):151-71 (35 ref.)
*ANGIOGRAPHY, methods/ ARM, blood supply/ ARTERIAL OCCLUSIVE DISEASES, radiography/ CAROTID ARTERIES, radiography/ CAROTID ARTERY DISEASES, radiography/ CEREBROVASCULAR DISORDERS, radiography/ HUMAN/ LEG, blood supply/ PULMONARY EMBOLISM, radiography/ RENAL ARTERY OBSTRUCTION, radiography/ REVIEW/ *SUBTRACTION TECHNIC

Jones DP, Byrne P, Mackenzie R, et al: Intraoperative single-dose heparin prophylaxis against deep-vein thrombosis. Can J Surg 1984 Jan;27(1):15-6
ADULT/ AGED/ CLINICAL TRIALS/ FEMALE/ HEPARIN, administration & dosage/ *HEPARIN, therapeutic use/ HUMAN/ INJECTIONS, INTRAVENOUS/ INTRAOPERATIVE PERIOD/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ RANDOM ALLOCATION/ *THROMBOPHLEBITIS, prevention & control

Jørgensen T, Wille-Jørgensen P, Kjaergaard J, et al: Dihydroergotamine in prevention of infusion thrombophlebitis. A randomized trial. Acta Chir Scand 1984;150(1):21-2
CLINICAL TRIALS/ *DIHYDROERGOTAMINE, therapeutic use/ HUMAN/ INFUSIONS, PARENTERAL, adverse effects/ POSTOPERATIVE COMPLICATIONS, etiology/ POSTOPERATIVE COMPLICATIONS, prevention & control/ RANDOM ALLOCATION/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

Jourdan M, McColl I: The use of prophylactic subcutaneous heparin in patients undergoing hernia repairs. Br J Clin Pract 1984 Sep;38(9):298-300
ADULT/ AGED/ *HEPARIN, therapeutic use/ *HERNIA, INGUINAL, surgery/ HUMAN/ INJECTIONS, SUBCUTANEOUS/ INTRAOPERATIVE COMPLICATIONS, prevention & control/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *PULMONARY EMBOLISM, prevention & control

Joyner CR: Ultrasonic diagnosis of pulmonary embolism--the second time around. Int J Cardiol 1984 Jul;6(1):116-20
*ECHOCARDIOGRAPHY/ HUMAN/ *PULMONARY EMBOLISM, diagnosis/ *ULTRASONICS, diagnostic use

K

Kakkar VV: Prevention of post-operative venous thromboembolism by a new low molecular weight heparin fraction. Nouv Rev Fr Hematol 1984; 26(4):277-82
ADULT/ AGED/ FEMALE/ FRACTIONATION/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ MOLECULAR WEIGHT/ SURGERY, OPERATIVE/ *THROMBOEMBOLISM, prevention & control

Kakkar VV: Diagnosis, prevention, and treatment of venous thromboembolism. Int Anesthesiol Clin 1985 Summer; 23(2):157-72
BLOOD COAGULATION DISORDERS, drug therapy/ FIBRINOLYTIC AGENTS, therapeutic use/ HEPARIN, therapeutic use/ HUMAN/ PULMONARY EMBOLISM, diagnosis/ *THROMBOEMBOLISM, diagnosis/ THROMBOEMBOLISM, prevention & control/ THROMBOEMBOLISM, therapy/ THROMBOPHLEBITIS, diagnosis

Kakkar VV, Murray WJ: Efficacy and safety of low-molecular-weight heparin (CY216) in preventing postoperative venous thrombo-embolism: a co-operative study. Br J Surg 1985 Oct;72(10):786-91
ADULT/ AGED/ CLINICAL TRIALS/ COMPARATIVE STUDY/ DOUBLE-BLIND METHOD/ FEMALE/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ MOLECULAR WEIGHT/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, prevention & control/ RISK/ SUPPORT, NON-U.S. GOV'T/ *THROMBOEMBOLISM, prevention & control

Kakkar VV, Fok PJ, Murray WJ, et al: Heparin and dihydroergotamine prophylaxis against thrombo-embolism after hip arthroplasty. J Bone Joint Surg [Br] 1985 Aug;67(4):538-42
AGED/ BLOOD COAGULATION TESTS/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG THERAPY, COMBINATION/ FEMALE/ *HEPARIN, therapeutic use/ *HIP PROSTHESIS/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ PULMONARY EMBOLISM, prevention & control/ THROMBOEMBOLISM,

diagnosis/ *THROMBOEMBOLISM, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Kakkar VV, Lawrence D: Hemodynamic and clinical assessment after therapy for acute deep vein thrombosis. A prospective study. Am J Surg 1985 Oct 8; 150(4A):54–63
COMPARATIVE STUDY/ FEMALE/ FOOT, blood supply/ *HEMODYNAMICS/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ PHLEBOGRAPHY/ PROSPECTIVE STUDIES/ REGIONAL BLOOD FLOW/ *STREPTOKINASE, therapeutic use/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, physiopathology/ TIME FACTORS

Kakkar VV, Welzel D, Murray WJ, et al: Possible mechanism of the synergistic effect of heparin and dihydroergotamine. Am J Surg 1985 Oct 8;150(4A):33–8
ANTITHROMBIN III, analysis/ BLOOD COAGULATION TESTS/ BLOOD COAGULATION, drug effects/ BLOOD PLATELETS, drug effects/ COMPARATIVE STUDY/ DIHYDROERGOTAMINE, pharmacodynamics/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS, therapeutic use/ DRUG SYNERGISM/ FEMORAL VEIN, drug effects/ HEPARIN, pharmacodynamics/ *HEPARIN, therapeutic use/ HUMAN/ MICROSCOPY, ELECTRON/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, prevention & control/ VASOCONSTRICTION, drug effects

Kasprzak P, Olbert F, Hagmüller GW, et al: Combined catheter-fibrinolytic therapy of pulmonary embolism (CCFT). Ann Radiol (Paris) 1984 Apr-May;27(4):327–31
ADOLESCENCE/ ADULT/ *CATHETERIZATION/ COMBINED MODALITY THERAPY/ FEMALE/ *FIBRINOLYTIC AGENTS, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, radiography/ *PULMONARY EMBOLISM, therapy

Khan O, Goodfellow T, Cosgrove DO, et al: Non-invasive imaging techniques in surgery.
Ann R Coll Surg Engl 1984 Mar;66(2):127–34
ABDOMEN/ ABSCESS, diagnosis/ BILIARY TRACT DISEASES, diagnosis/ BONE DISEASES, diagnosis/ BRAIN DISEASES, diagnosis/ FEMALE/ HEART, radionuclide imaging/ HEMORRHAGE, GASTROINTESTINAL, diagnosis/ HUMAN/ LUNG DISEASES, diagnosis/ MALE/ MEDIASTINAL DISEASES, diagnosis/ PANCREATIC DISEASES, diagnosis/ PREGNANCY/ *RADIONUCLIDE IMAGING/ *SURGERY/ THROMBOPHLEBITIS, diagnosis/ THYROID DISEASES, diagnosis/ TOMOGRAPHY, EMISSION COMPUTED/ *TOMOGRAPHY, X-RAY COMPUTED/ *ULTRASONICS, diagnostic use/ UROLOGIC DISEASES, diagnosis

Kitschke B, Alaoui-Bouarraqui K, Ciurana AJ, et al: Kinetics of [99mTc]heparin, venous scintigraphy with [99mTc]fibrinogen and beta-thromboglobulin assay in the diagnosis of deep-vein thrombosis.
Int J Nucl Med Biol 1984;11(3-4):235–41
*BETA GLOBULINS, analysis/ *BETA-THROMBOGLOBULIN, analysis/ COMPARATIVE STUDY/ *FIBRINOGEN, diagnostic use/ *HEPARIN, blood/ HUMAN/ KINETICS/ *TECHNETIUM, diagnostic use/ THROMBOPHLEBITIS, blood/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radionuclide imaging

Kluft C, Bertina RM, Preston FE, et al: Protein C, an anticoagulant protein, is increased in healthy volunteers and surgical patients after treatment with stanozolol.
Thromb Res 1984 Feb 1;33(3):297–304
ADULT/ AGED/ *BLOOD COAGULATION FACTORS, metabolism/ FEMALE/ FIBRINOLYSIS, drug effects/ GASTROINTESTINAL DISEASES, surgery/ *GLYCOPROTEINS, metabolism/ HUMAN/ INJECTIONS, INTRAMUSCULAR/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, blood/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *STANOZOLOL, therapeutic use/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, blood/ *THROMBOPHLEBITIS, prevention & control

Knight LC, Maurer AH, Robbins PS, et al: Fragment E1 labeled with I-123 in the detection of venous thrombosis.
Radiology 1985 Aug;156(2):509–14
ADOLESCENCE/ ADULT/ AGED/ ELECTROPHORESIS, POLYACRYLAMIDE GEL/ FEMALE/ *FIBRIN FIBRINOGEN DEGRADATION PRODUCTS, diagnostic use/ HALF-LIFE/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ MALE/ MIDDLE AGE/ RADIATION DOSAGE/ SUPPORT, NON-U.S. GOV'T/ SUPPORT, U.S. GOV'T, P.H.S./ *THROMBOPHLEBITIS, radionuclide imaging

Köhn H, Klech H, Angelberger P, et al: Dry aerosol of monodisperse millimicrospheres for ventilation imaging: production, delivery system, and clinical results in comparison with 81m-krypton and 127-xenon.
Eur J Nucl Med 1985;10(9-10):411–6
AEROSOLS/ COMPARATIVE STUDY/ HUMAN/ INDIUM, diagnostic use/ ISOTOPE LABELING/ *KRYPTON, diagnostic use/ *LUNG DISEASES, OBSTRUCTIVE, radionuclide imaging/ MICROSPHERES/ PULMONARY EMBOLISM, radionuclide imaging/ RADIOISOTOPES, diagnostic use/ *RESPIRATION/ SERUM ALBUMIN/ SMOKING/ *TECHNETIUM, diagnostic use/ VENTILATION-PERFUSION RATIO/ *XENON RADIOISOTOPES, diagnostic use

Köhn H, Mostbeck A, Lofferer O, et al: Technetium-labelled compounds and thermography for non-invasive detection of deep vein thrombosis. Vasa 1984;13(3):238–43
COMPARATIVE STUDY/ *FIBRINOGEN, diagnostic use/ *FIBRINOLYSIN, diagnostic use/ HUMAN/ PHLEBOGRAPHY/ *TECHNETIUM, diagnostic use/ *THERMOGRAPHY, methods/ *THROMBOPHLEBITIS, radionuclide imaging

Kotz HL: Venous thrombosis and its prevention and management [letter] Gynecol Oncol 1985 May;21(1):133
FEMALE/ *HEPARIN, therapeutic use/ HUMAN/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Kramer EL, Sanger JJ: 81mKr gas and 99mTc-MAA V/Q ratio images for detection of V/Q mismatches.
Eur J Nucl Med 1984;9(8):345–50
HUMAN/ *KRYPTON, diagnostic use/ LUNG, radionuclide imaging/ PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES/ *TECHNETIUM TC 99M AGGREGATED ALBUMIN, diagnostic use/ *VENTILATION-PERFUSION RATIO

Kreel L: Deep vein thrombosis--the impedance phlebogram. Postgrad Med J 1985 Feb;61(712):141–3
ADULT/ CASE REPORT/ FEMALE/ HUMAN/ PHLEBOGRAPHY/ *THROMBOPHLEBITIS, radiography

L

Lee DS, Kuhn J, Shaffer MJ, et al: Migration of tips of central venous catheters in seated patients.
Anesth Analg 1984 Oct;63(10):949–52
ADULT/ *BLOOD PRESSURE DETERMINATION, instrumentation/ *CENTRAL VENOUS PRESSURE/ ELECTROCARDIOGRAPHY/ EMBOLISM, AIR, diagnosis/ EMBOLISM, AIR, therapy/ HEART ATRIUM/ *HEART CATHETERIZATION, instrumentation/

HEART VENTRICLE/ HUMAN/ INTRAOPERATIVE PERIOD/ MONITORING, PHYSIOLOGIC, instrumentation/ MOVEMENT/ NEUROSURGERY, methods/ POSTURE

Lee ME, Biello DR, Kumar B, et al: 'Low-probability' ventilation-perfusion scintigrams: clinical outcomes in 99 patients. Radiology 1985 Aug;156(2):497-500
ADULT/ AGED/ DIAGNOSIS, DIFFERENTIAL/ FEMALE/ FOLLOW-UP STUDIES/ HUMAN/ LUNG, pathology/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, radionuclide imaging/ PROBABILITY/ PULMONARY EMBOLISM, pathology/ *PULMONARY EMBOLISM, radionuclide imaging/ RISK/ THROMBOPHLEBITIS, complications/ *VENTILATION-PERFUSION RATIO/ XENON RADIOISOTOPES, diagnostic use

Lemaire F: Pulmonary embolism: what is known, what remains unsolved? Intensive Care Med 1984;10(2):79-80
HUMAN/ *PULMONARY EMBOLISM/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, therapy

Lindblad B, Bergqvist D, Efsing HO, et al: Changes in peripheral haemodynamics induced by dextran 70, dihydroergotamine, and their combination. A study using ultrasonic, serial phlebography, plethysmography and isotope clearance techniques. Vasa 1984;13(2):165-70
ADULT/ AGED/ *DEXTRANS, therapeutic use/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG THERAPY, COMBINATION/ FEMALE/ *HEMODYNAMICS, drug effects/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY/ SERUM ALBUMIN, diagnostic use/ TECHNETIUM, diagnostic use/ THROMBOPHLEBITIS, prevention & control/ ULTRASONICS, diagnostic use

Lindhagen A, Bergqvist D, Hallböök T: Deep venous insufficiency after postoperative thrombosis diagnosed with 125I-labelled fibrinogen uptake test. Br J Surg 1984 Jul;71(7):511-5
AGED/ FEMALE/ *FIBRINOGEN, diagnostic use/ FOLLOW-UP STUDIES/ HUMAN/ *IODINE RADIOISOTOPES, diagnostic use/ MALE/ MIDDLE AGE/ PLETHYSMOGRAPHY/ *POSTOPERATIVE COMPLICATIONS, diagnosis/ POSTOPERATIVE COMPLICATIONS, prevention & control/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, prevention & control/ ULTRASONICS, diagnostic use/ *VENOUS INSUFFICIENCY, diagnosis

Lindhagen A, Bergqvist D, Hallböök T, et al: Venous function five to eight years after clinically suspected deep venous thrombosis. Acta Med Scand 1985;217(4):389-95
ADULT/ AGED/ FEMALE/ FOLLOW-UP STUDIES/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, physiopathology/ ULTRASONIC DIAGNOSIS

Lisbona R, Derbekyan V, Novales-Diaz JA, et al: Tc-99m red blood cell venography in deep venous thrombosis of the lower limb. An overview. Clin Nucl Med 1985 Mar;10(3):208-24
*ERYTHROCYTES/ HUMAN/ *LEG, blood supply/ METHODS/ *TECHNETIUM, diagnostic use/ *THROMBOPHLEBITIS, radionuclide imaging

Loeliger EA, Broekmans AW: Optimal therapeutic anticoagulation. Haemostasis 1985;15(4):283-92
ANTICOAGULANTS, administration & dosage/ *ANTICOAGULANTS, therapeutic use/ HUMAN/ INTRAOPERATIVE CARE/ PROTHROMBIN TIME/ THROMBOEMBOLISM, drug therapy/ *THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, prevention & control

Loken MK: V/Q scintigraphy in the diagnosis of pulmonary emboli. Current status. Minn Med 1985 May;68(5):353-5
HUMAN/ *PULMONARY EMBOLISM, radionuclide imaging/ TECHNETIUM TC 99M AGGREGATED ALBUMIN, diagnostic use/ *VENTILATION-PERFUSION RATIO

Lotke PA, Ecker ML, Alavi A, et al: Indications for the treatment of deep venous thrombosis following total knee replacement. J Bone Joint Surg [Am] 1984 Feb;66(2):202-8
AGED/ ANTICOAGULANTS, adverse effects/ *ANTICOAGULANTS, therapeutic use/ FEMALE/ HUMAN/ *KNEE PROSTHESIS/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ PULMONARY EMBOLISM, radionuclide imaging/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, prevention & control

Lückers AE, Luth WJ, Teule GJ, et al: Diagnosis of deep venous thrombosis with 99mTc plasmin using the gamma camera. Eur J Nucl Med 1984;9(6):282-3
AGED/ COMPARATIVE STUDY/ FEMALE/ *FIBRINOLYSIN, diagnostic use/ HUMAN/ MALE/ PHLEBOGRAPHY/ *TECHNETIUM, diagnostic use/ THROMBOPHLEBITIS, radiography/ *THROMBOPHLEBITIS, radionuclide imaging

M

McKenzie PJ, Wishart HY, Gray I, et al: Effects of anaesthetic technique on deep vein thrombosis. A comparison of subarachnoid and general anaesthesia. Br J Anaesth 1985 Sep;57(9):853-7
ADULT/ AGED/ *ANESTHESIA, GENERAL/ *ANESTHESIA, SPINAL/ COMPARATIVE STUDY/ FEMALE/ *FEMORAL NECK FRACTURES, surgery/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ POSTOPERATIVE COMPLICATIONS, etiology/ *THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, radiography

Macoviak JA, Melnik G, McLean G, et al: The effect of low-dose heparin on the prevention of venous thrombosis in patients receiving short-term parenteral nutrition. Curr Surg 1984 Mar-Apr;41(2):98-100
AGED/ *CATHETERS, INDWELLING, adverse effects/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ *PARENTERAL FEEDING, methods/ *PARENTERAL HYPERALIMENTATION, methods/ SUBCLAVIAN VEIN, drug effects/ *THROMBOSIS, prevention & control

Matsuda A: Bronchial arteriography in patients with pulmonary embolism. Chest 1984 Jun;85(6):767-73
ADULT/ *BRONCHIAL ARTERIES, radiography/ COLLATERAL CIRCULATION/ FEMALE/ HUMAN/ LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, physiopathology/ *PULMONARY EMBOLISM, radiography/ RECURRENCE

Maurer AH, Knight LC: Detection of deep venous thrombosis with Tc-99m sulfur colloid [letter] Radiology 1984 Mar;150(3):842-3
HUMAN/ *SULFUR, diagnostic use/ *TECHNETIUM, diagnostic use/ *THROMBOPHLEBITIS, radionuclide imaging

Meignan M, Simonneau G, Oliveira L, et al: Computation of ventilation-perfusion ratio with Kr-81m in pulmonary embolism. J Nucl Med 1984 Feb;25(2):149-55
ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ *KRYPTON, diagnostic use/ LUNG DISEASES, OBSTRUCTIVE, physiopathology/ LUNG DISEASES, OBSTRUCTIVE, radionuclide imaging/ MALE/ MIDDLE AGE/ PULMONARY EMBOLISM, physiopathology/ *PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES, diagnostic use/ SCINTILLATION COUNTING, instrumentation/ SERUM ALBUMIN, diagnostic use/ SUPPORT, NON-U.S. GOV'T/

TECHNETIUM, diagnostic use/ *VENTILATION-PERFUSION RATIO

Meignan M, Harf A, Cinotti L: Regional distribution of ventilation-perfusion ratios in acute pulmonary embolism. Intensive Care Med 1984;10(2):103-6
ACUTE DISEASE/ ANGIOGRAPHY/ HUMAN/ KRYPTON, diagnostic use/ PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, physiopathology/ PULMONARY EMBOLISM, radiography/ *PULMONARY EMBOLISM, radionuclide imaging/ RADIOISOTOPES, diagnostic use/ *VENTILATION-PERFUSION RATIO

Mellbring G, Dahlgren S, Wiman B: Prediction of deep vein thrombosis after extensive abdominal operations by the quotient between plasmin-alpha 2-antiplasmin complex and fibrinogen concentration in plasma. Surg Gynecol Obstet 1985 Oct;161(4):339-42
ADULT/ AGED/ *ALPHA MACROGLOBULINS, metabolism/ *ANTIPLASMIN, metabolism/ DIGESTIVE SYSTEM DISEASES, blood/ *DIGESTIVE SYSTEM DISEASES, surgery/ FEMALE/ *FIBRINOGEN, metabolism/ *FIBRINOLYSIN, metabolism/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS/ PROSPECTIVE STUDIES/ RISK/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, blood/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, etiology

Mercer J, Talbot IC: Clinical diagnosis: a post-mortem assessment of accuracy in the 1980s. Postgrad Med J 1985 Aug;61(718):713-6
ADOLESCENCE/ ADULT/ AGE FACTORS/ AGED/ AUTOPSY/ *DIAGNOSTIC ERRORS/ ENGLAND/ HUMAN/ LENGTH OF STAY/ MIDDLE AGE/ MYOCARDIAL INFARCTION, diagnosis/ PNEUMONIA, diagnosis/ PULMONARY EMBOLISM, diagnosis

Michiels JJ, Van Vliet HH: Hereditary antithrombin III deficiency and venous thrombosis. Neth J Med 1984; 27(6):226-32 (77 ref.)
ADOLESCENCE/ ADULT/ AGED/ *ANTITHROMBIN III, deficiency/ BLOOD COAGULATION DISORDERS, complications/ *BLOOD COAGULATION DISORDERS, familial & genetic/ CHILD/ CHILD, PRESCHOOL/ FEMALE/ HUMAN/ INFANT/ INFANT, NEWBORN/ MIDDLE AGE/ PREGNANCY COMPLICATIONS, etiology/ PREGNANCY/ PULMONARY EMBOLISM, etiology/ REVIEW/ THROMBOPHLEBITIS, etiology/ *THROMBOSIS, etiology/ THROMBOSIS, occurrence/ THROMBOSIS, prevention & control

Miller GA: The diagnosis and management of pulmonary embolism. Adv Exp Med Biol 1984;164:335-7
HUMAN/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, physiopathology/ *PULMONARY EMBOLISM, therapy/ STREPTOKINASE, therapeutic use

Minar E, Ehringer H, Sommer G, et al: Prevention of postvenographic thrombosis by heparin flush: fibrinogen uptake measurements. AJR 1984 Sep;143(3):629-32
ADULT/ AGED/ FEMALE/ FIBRINOGEN/ *HEPARIN, therapeutic use/ HUMAN/ IODINE RADIOISOTOPES/ MALE/ MIDDLE AGE/ *PHLEBOGRAPHY, adverse effects/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

Montrey JS, Kistner RL, Kong AY, et al: Thromboembolism following hip fracture. J Trauma 1985 Jun;25(6):534-7
AGED/ FEMALE/ HEPARIN, adverse effects/ HEPARIN, therapeutic use/ *HIP FRACTURES, complications/ HIP FRACTURES, surgery/ HUMAN/ MALE/ PHLEBOGRAPHY/ POSTOPERATIVE COMPLICATIONS/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, prevention & control/ THROMBOEMBOLISM, etiology/ THROMBOEMBOLISM, pathology/ *THROMBOEMBOLISM, prevention & control

Moore EH, Gamsu G, Webb WR, et al: Pulmonary embolus: detection and follow-up using magnetic resonance. Radiology 1984 Nov;153(2):471-2
ADULT/ CASE REPORT/ FEMALE/ HUMAN/ *NUCLEAR MAGNETIC RESONANCE, diagnostic use/ *PULMONARY EMBOLISM, diagnosis

Morpurgo M: Pulmonary embolism: the dimensions of the problem. G Ital Cardiol 1984;14 Suppl 1:3-5
DIAGNOSIS, DIFFERENTIAL/ DIAGNOSTIC ERRORS/ HUMAN/ PROGNOSIS/ *PULMONARY EMBOLISM, diagnosis

Mortensen JZ, Olesen AS, Arnfred T, et al: AT-III as predictor of postoperative pulmonary embolism. Thromb Res 1985 Feb 15;37(4):555-9
*ANTITHROMBIN III, analysis/ HUMAN/ *POSTOPERATIVE COMPLICATIONS/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, etiology/ RISK

Moser KM, Fedullo PF: Imaging of venous thromboemboli with labeled platelets. Semin Nucl Med 1984 Jul; 14(3):188-97 (46 ref.)
ANIMAL/ *BLOOD PLATELETS/ DOGS/ FIBRINOGEN, diagnostic use/ HEPARIN, therapeutic use/ HUMAN/ INDIUM, diagnostic use/ IODINE RADIOISOTOPES, diagnostic use/ MONITORING, PHYSIOLOGIC, methods/ *PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES, diagnostic use/ REVIEW/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, prevention & control/ *THROMBOPHLEBITIS, radionuclide imaging

Mühe E: Intermittent sequential high-pressure compression of the leg. A new method of preventing deep vein thrombosis. Am J Surg 1984 Jun;147(6):781-5
AGED/ BLOOD FLOW VELOCITY/ FEMALE/ HUMAN/ LEG, blood supply/ MALE/ METHODS/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *PRESSURE/ *THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, physiopathology/ VEINS, physiopathology

Murray DG: Total knee arthroplasty. Clin Orthop 1985 Jan-Feb;(192):59-68
ADULT/ AGE FACTORS/ AGED/ ANTIBIOTICS, therapeutic use/ FEMALE/ FEMUR, surgery/ HUMAN/ INFECTION, etiology/ INFECTION, prevention & control/ KNEE JOINT, surgery/ *KNEE PROSTHESIS/ KNEE PROSTHESIS, adverse effects/ KNEE PROSTHESIS, rehabilitation/ MALE/ MIDDLE AGE/ PATELLA, surgery/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSTHESIS DESIGN/ SEX FACTORS/ THROMBOPHLEBITIS, prevention & control

Myllynen P, Kammonen M, Rokkanen P, et al: Deep venous thrombosis and pulmonary embolism in patients with acute spinal cord injury: a comparison with nonparalyzed patients immobilized due to spinal fractures. J Trauma 1985 Jun;25(6):541-3
ADOLESCENCE/ ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ FIBRINOGEN, diagnostic use/ FRACTURES, complications/ HUMAN/ *IMMOBILIZATION/ IODINE RADIOISOTOPES, diagnostic use/ MALE/ MIDDLE AGE/ *PARALYSIS, complications/ PHYSICAL EXAMINATION/ *PULMONARY EMBOLISM, etiology/ *SPINAL CORD INJURIES, complications/ *SPINAL INJURIES, complications/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, etiology

N

Negus D: Low-dose heparin in prevention of postoperative deep vein thrombosis [letter] J R Soc Med 1985 Jul; 78(7):603-4
BODY WEIGHT/ *HEPARIN, administration & dosage/ HUMAN/ POSTOPERATIVE COMPLICATIONS, prevention & control/

*THROMBOPHLEBITIS, prevention & control

Nelson R, Shane R: Establishing a heparin-flush protocol for central venous catheters [letter]
Am J Hosp Pharm 1984 Oct;41(10):1992, 1994
ADULT/ *CATHETERIZATION, methods/ *HEPARIN, administration & dosage/ HUMAN/ *THROMBOSIS, prevention & control/ *VEINS

Neuhaus A: Pulmonary embolism. Compr Ther 1984 Mar; 10(3):67-70
ANTICOAGULANTS, therapeutic use/ HEPARIN, therapeutic use/ HUMAN/ PHLEBOGRAPHY/ *PULMONARY EMBOLISM/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, therapy/ THROMBOPHLEBITIS, complications/ TOMOGRAPHY, X-RAY COMPUTED

Nilsen DW, Naess-Andresen KF, Kierulf P, et al: Graded pressure stockings in prevention of deep vein thrombosis following total hip replacement. Acta Chir Scand 1984; 150(7):531-4
AGED/ ANTITHROMBIN III, analysis/ *CLOTHING/ FEMALE/ HEMATOCRIT/ HEPARIN, therapeutic use/ *HIP JOINT, surgery/ *HIP PROSTHESIS/ HUMAN/ MALE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, drug therapy/ THROMBOSIS, drug therapy/ *THROMBOSIS, prevention & control/ WARFARIN, therapeutic use

Nolan TR: Intraoperative thrombophlebitis prophylaxis. J Med Assoc Ga 1985 Jan;74(1):30-2
*CLOTHING/ FOLLOW-UP STUDIES/ HEPARIN, therapeutic use/ HUMAN/ INTRAOPERATIVE CARE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Norris CS, Greenfield LJ, Herrmann JB: Free-floating iliofemoral thrombus. A risk of pulmonary embolism. Arch Surg 1985 Jul;120(7):806-8
ADULT/ AGED/ FEMALE/ *FEMORAL VEIN/ FEMORAL VEIN, radiography/ HUMAN/ *ILIAC VEIN/ ILIAC VEIN, radiography/ LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ *PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, radionuclide imaging/ RETROSPECTIVE STUDIES/ RISK/ *THROMBOSIS, complications/ THROMBOSIS, radiography/ VENTILATION-PERFUSION RATIO

O

Ockelford PA: Advances in the diagnosis and management of deep vein thrombosis. NZ Med J 1984 Aug 8; 97(761):522-5
*HEPARIN, therapeutic use/ HUMAN/ PHLEBOGRAPHY/ RECURRENCE/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, drug therapy/ ULTRASONICS, diagnostic use/ WARFARIN, therapeutic use

Okoye GC, Evans JH, Beattie J, et al: Response of femoral venous oxygen tension to graduated pressure stockings--possible relationship to deep vein thrombosis. Thromb Haemost 1984 Feb 28;51(1):103-4
BLOOD GAS ANALYSIS/ *CLOTHING/ *FEMORAL VEIN/ HUMAN/ *OXYGEN, analysis/ PRESSURE/ *THROMBOPHLEBITIS, prevention & control

Orzel JA: Proper interpretation of radioisotope lung scans [letter] JAMA 1985 Jan 4;253(1):40
HUMAN/ *LUNG, radionuclide imaging/ PULMONARY CIRCULATION/ *PULMONARY EMBOLISM, radionuclide imaging

Ouriel K, Whitehouse WM Jr, Zarins CK: Combined use of Doppler ultrasound and phleborheography in suspected deep venous thrombosis.
Surg Gynecol Obstet 1984 Sep;159(3):242-6
ADOLESCENCE/ ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE, methods/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography/ *ULTRASONICS, diagnostic use

Overgaard K: Thromboscintigraphy with 99Tcm-plasmin: a new diagnostic method in deep venous thrombosis of the legs. Nucl Med Commun 1984 Feb;5(2):101-7
*FIBRINOLYSIN, diagnostic use/ HUMAN/ *LEG, blood supply/ TECHNETIUM, diagnostic use/ *THROMBOPHLEBITIS, radionuclide imaging

P

Patton DD: The efficacy of lung scans: the emperor had clothes all along [editorial] J Nucl Med 1985 Jul; 26(7):812-4
HUMAN/ *LUNG, radionuclide imaging/ *PULMONARY EMBOLISM, radionuclide imaging/ REFERRAL AND CONSULTATION

Peterson RT, Goldman AL: Pulmonary embolism. Primary Care 1985 Jun;12(2):383-96
FIBRINOLYTIC AGENTS, administration & dosage/ FIBRINOLYTIC AGENTS, therapeutic use/ HUMAN/ LEG, blood supply/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, physiopathology/ PULMONARY EMBOLISM, therapy/ THROMBOSIS, complications/ THROMBOSIS, diagnosis/ THROMBOSIS, physiopathology/ VENTILATION-PERFUSION RATIO

Pierron RL: Prophylaxis of deep-vein thrombosis after total hip replacement. Dextran and external pneumatic compression compared with 1.2 or 0.3 grams of aspirin daily [letter] J Bone Joint Surg [Am] 1985 Jul;67(6):983
*DEXTRANS, therapeutic use/ *HIP PROSTHESIS/ HUMAN/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PRESSURE/ *THROMBOSIS, prevention & control

Pierron RL: Pulmonary embolism in total-hip patients [letter] Clin Orthop 1984 Sep;(188):310-1
*HIP PROSTHESIS, adverse effects/ HUMAN/ *PULMONARY EMBOLISM, prevention & control

Pilgeram L: Detection of impending intravascular thrombosis prior to the clinically overt event. Naturwissenschaften 1984 Jul;71(7):372-4
AGED/ DIAGNOSIS, LABORATORY/ FACTOR XIII, analysis/ FIBRIN, analysis/ FIBRINOGEN, analysis/ HUMAN/ MALE/ PARTIAL THROMBOPLASTIN TIME/ SUPPORT, U.S. GOV'T, P.H.S./ THROMBIN, analysis/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, physiopathology

Pini M, Poti R, Poli T, et al: Accuracy of strain-gauge plethysmography as a diagnostic test in clinically suspected deep venous thrombosis. Thromb Res 1984 Jul 15;35(2):149-57
ADOLESCENCE/ ADULT/ AGED/ CHILD/ DIAGNOSIS, DIFFERENTIAL/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ *PLETHYSMOGRAPHY, methods/ RHEOLOGY/ *THROMBOPHLEBITIS, diagnosis

Pini M, Spadini E, Carluccio L, et al: Dextran/aspirin versus heparin/dihydroergotamine in preventing thrombosis after hip fractures. J Bone Joint Surg [Br] 1985 Mar;67(2):305-9
AGED/ ASPIRIN, administration & dosage/ CLINICAL TRIALS/ COMPARATIVE STUDY/ DEXTRANS, administration & dosage/ DIHYDROERGOTAMINE, administration & dosage/ DOUBLE-BLIND METHOD/ DRUG THERAPY, COMBINATION/ FEMALE/ *FIBRINOLYTIC AGENTS, administration &

dosage/ HEPARIN, administration & dosage/ *HIP FRACTURES, surgery/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *PREMEDICATION/ RANDOM ALLOCATION/ THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, occurrence/ *THROMBOPHLEBITIS, prevention & control

Pogson GW, Reed W, Weinstein GS: Prevention of deep vein thrombosis. Use of sequential pneumatic cuff calf compression. Mo Med 1985 Mar;82(3):133-6
ADULT/ AGED/ *AIR PRESSURE/ AORTOCORONARY BYPASS/ *ATMOSPHERIC PRESSURE/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ RANDOM ALLOCATION/ *THROMBOPHLEBITIS, prevention & control

Polak JF, McNeil BJ: Pulmonary scintigraphy and the diagnosis of pulmonary embolism. A perspective. Clin Chest Med 1984 Sep;5(3):457-64 (45 ref.)
HUMAN/ *LUNG, radionuclide imaging/ PERFUSION/ PULMONARY EMBOLISM, radiography/ *PULMONARY EMBOLISM, radionuclide imaging/ REVIEW/ THORACIC RADIOGRAPHY, methods/ XENON RADIOISOTOPES, diagnostic use

Poller L: Therapeutic ranges in anticoagulant administration. Br Med J [Clin Res] 1985 Jun 8; 290(6483):1683-6
*ANTICOAGULANTS, administration & dosage/ ANTICOAGULANTS, therapeutic use/ CLINICAL TRIALS/ HEART VALVE PROSTHESIS/ HUMAN/ PROTHROMBIN TIME/ PULMONARY EMBOLISM, drug therapy/ QUALITY CONTROL/ REFERENCE VALUES/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, prevention & control/ THROMBOPLASTIN, therapeutic use/ WARFARIN, therapeutic use

Poller L: Current status of anticoagulant treatment. Adv Exp Med Biol 1984;164:85-96
*ANTICOAGULANTS, therapeutic use/ HUMAN/ MYOCARDIAL INFARCTION, drug therapy/ PARTIAL THROMBOPLASTIN TIME/ PROTHROMBIN TIME/ THROMBOPHLEBITIS, prevention & control

Pond GD: Pulmonary digital subtraction angiography. Radiol Clin North Am 1985 Jun;23(2):243-60
*ANGIOGRAPHY, methods/ HUMAN/ *PULMONARY EMBOLISM, radiography/ *SUBTRACTION TECHNIC

Pöyhönen L, Turjanmaa V, Virjo A: 99mTc particle perfusion/99mTc aerosol ventilation imaging using a subtraction technique in suspected pulmonary embolism. Eur J Nucl Med 1985;10(9-10):417-21
AEROSOLS/ AGED/ HUMAN/ MIDDLE AGE/ PULMONARY EMBOLISM, physiopathology/ *PULMONARY EMBOLISM, radionuclide imaging/ *SUBTRACTION TECHNIC/ *TECHNETIUM, diagnostic use/ *VENTILATION-PERFUSION RATIO

Price L, Dunn M: Are modifications necessary in the performance of pulmonary angiograms? [editorial] Chest 1985 Jul;88(1):1-2
ANGIOGRAPHY, methods/ *ANGIOGRAPHY, standards/ CINEANGIOGRAPHY, standards/ FALSE NEGATIVE REACTIONS/ HUMAN/ *LUNG, radiography/ *PULMONARY EMBOLISM, radiography

R

Raghavendra BN, Rosen RJ, Lam S, et al: Deep venous thrombosis: detection by high-resolution real-time ultrasonography. Radiology 1984 Sep;152(3):789-93
ADOLESCENCE/ ADULT/ AGED/ COMPARATIVE STUDY/ EVALUATION STUDIES/ FEMALE/ FEMORAL VEIN, anatomy & histology/ HUMAN/ MALE/ MIDDLE AGE/ POPLITEAL VEIN, anatomy & histology/ POSTURE/ *THROMBOPHLEBITIS, diagnosis/ *ULTRASONICS, diagnostic use/ VALSALVA'S MANEUVER

Ramchandani P, Soulen RL, Fedullo LM, et al: Deep vein thrombosis: significant limitations of noninvasive tests. Radiology 1985 Jul;156(1):47-9
ADULT/ AGED/ FALSE POSITIVE REACTIONS/ FEMALE/ HUMAN/ LEG, blood supply/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography

Ricci MA, Fuller BC, Byrne JL, et al: Diagnosis of deep vein thrombosis by phleborheography in a community hospital. NY State J Med 1984 Feb;84(2):72-3
FALSE POSITIVE REACTIONS/ HUMAN/ PHLEBOGRAPHY/ *PLETHYSMOGRAPHY/ *THROMBOPHLEBITIS, diagnosis

Rissanen V, Suomalainen O, Karjalainen P, et al: Screening for postoperative pulmonary embolism on the basis of clinical symptomatology, routine electrocardiography and plain chest radiography. Acta Med Scand 1984; 215(1):13-9
ELECTROCARDIOGRAPHY/ FEMALE/ HIP PROSTHESIS/ HUMAN/ LUNG, radiography/ LUNG, radionuclide imaging/ MALE/ POSTOPERATIVE COMPLICATIONS, diagnosis/ *POSTOPERATIVE COMPLICATIONS, occurrence/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, etiology/ *PULMONARY EMBOLISM, occurrence/ THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, etiology

Rosen JM, Biello DR, Siegel BA, et al: Kr-81m ventilation imaging: clinical utility in suspected pulmonary embolism. Radiology 1985 Mar;154(3):787-90
COMPARATIVE STUDY/ HUMAN/ *KRYPTON, diagnostic use/ LUNG, radionuclide imaging/ PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, physiopathology/ *PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES, diagnostic use/ TECHNETIUM, diagnostic use/ *VENTILATION-PERFUSION RATIO/ XENON RADIOISOTOPES, diagnostic use

Rowe IF, Sleight PJ, Gaunt JI, et al: Assessment of pulmonary ventilation scans using xenon-127 in the diagnosis of pulmonary embolism. Eur J Nucl Med 1984; 9(4):154-6
COMPARATIVE STUDY/ HUMAN/ *PULMONARY EMBOLISM, radionuclide imaging/ RESPIRATION/ *XENON RADIOISOTOPES, diagnostic use

Ruksawin N, Phornphilbulaya P, Suwanik R, et al: Uptake of 99Tcm-sulphur colloid by deep vein thrombi: a case report. Nucl Med Commun 1984 Mar;5(3):175-8
CASE REPORT/ FIBRINOGEN, diagnostic use/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ *LEG, blood supply/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, radionuclide imaging/ *TECHNETIUM TC 99M SULFUR COLLOID, diagnostic use/ *THROMBOPHLEBITIS, radionuclide imaging/ TIME FACTORS

Rusch O, Vincent N: Intravenous digital pulmonary angiography for the diagnosis of pulmonary embolism. Conn Med 1984 Aug;48(8):489-91
CONTRAST MEDIA, administration & dosage/ HUMAN/ INJECTIONS, INTRAVENOUS/ *PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, radiography/ SUBTRACTION TECHNIC

Rutherford RB, Jones DN, Bergentz SE, et al: The efficacy of dextran 40 in preventing early postoperative thrombosis following difficult lower extremity bypass. J Vasc Surg 1984 Nov;1(6):765-73
*BLOOD VESSEL PROSTHESIS/ BLOOD VESSEL PROSTHESIS, adverse effects/ CLINICAL TRIALS/ COMPARATIVE STUDY/ DEXTRANS, administration & dosage/ *DEXTRANS, therapeutic use/ ENDARTERECTOMY/ FEMORAL ARTERY,

surgery/ HUMAN/ INFUSIONS, PARENTERAL/ *LEG, blood supply/ POPLITEAL ARTERY, surgery/ POSTOPERATIVE COMPLICATIONS, prevention & control/ RANDOM ALLOCATION/ *THROMBOSIS, prevention & control/ THROMBOSIS, surgery/ *VEINS, transplantation

S

Saenger EL, Buncher CR, Specker BL, et al: Determination of clinical efficacy: nuclear medicine as applied to lung scanning. J Nucl Med 1985 Jul;26(7):793–806
ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ *LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ MODELS, BIOLOGICAL/ PROBABILITY/ *PULMONARY EMBOLISM, radionuclide imaging/ REFERRAL AND CONSULTATION/ REGRESSION ANALYSIS/ SUPPORT, U.S. GOV'T, NON-P.H.S.

Saltzman HA: The patient from whom I have learned the most: undiagnosed pulmonary emboli are still with us. NC Med J 1985 Jan;46(1):19–20
ACUTE DISEASE/ CASE REPORT/ DYSPNEA, etiology/ HUMAN/ MALE/ MIDDLE AGE/ PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography

Sandler DA, Martin JF: Liquid crystal thermography as a screening test for deep-vein thrombosis. Lancet 1985 Mar 23;1(8430):665–7
ADOLESCENCE/ ADULT/ AGED/ COMPARATIVE STUDY/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ SUPPORT, NON-U.S. GOV'T/ *THERMOGRAPHY/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography

Sandler DA, Martin JF, Duncan JS, et al: Diagnosis of deep-vein thrombosis: comparison of clinical evaluation, ultrasound, plethysmography, and venoscan with X-ray venogram. Lancet 1984 Sep 29;2(8405):716–9
ADOLESCENCE/ ADULT/ AGED/ COMPARATIVE STUDY/ EVALUATION STUDIES/ FEMALE/ FEMORAL VEIN/ FIBRINOGEN, diagnostic use/ HUMAN/ ILIAC VEIN/ LEG, anatomy & histology/ MALE/ MIDDLE AGE/ *PHLEBOGRAPHY/ PHYSICAL EXAMINATION/ *PLETHYSMOGRAPHY, IMPEDANCE/ POPLITEAL VEIN/ SUPPORT, NON-U.S. GOV'T/ TECHNETIUM, diagnostic use/ THIGH, anatomy & histology/ *THROMBOPHLEBITIS, diagnosis/ *ULTRASONIC DIAGNOSIS

Sandler DA: Homans' sign and medical education [letter] Lancet 1985 Nov 16;2(8464):1130–1
HUMAN/ METHODS/ *THROMBOPHLEBITIS, diagnosis

Satiani B, Paoletti D, Henry M, et al: A critical appraisal of impedance plethysmography in the diagnosis of acute deep venous thrombosis. Surg Gynecol Obstet 1985 Jul; 161(1):25–9
HUMAN/ MIDDLE AGE/ *PLETHYSMOGRAPHY, IMPEDANCE/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography

Sautter RD: Value of ventilation-perfusion scanning [letter] AJR 1985 Jun;144(6):1315–6
ANGIOGRAPHY/ HUMAN/ *PULMONARY EMBOLISM, radiography/ VENTILATION-PERFUSION RATIO

Schmidt KG, Rasmussen JW: Scintigraphic visualization of haemostatic and thromboembolic processes using 111Indium-labelled platelets. Acta Med Scand 1984; 215(2):173–80
AGED/ *BLOOD PLATELETS/ FEMALE/ HEMORRHAGE, GASTROINTESTINAL, radionuclide imaging/ *HEMOSTASIS/ HUMAN/ *INDIUM, diagnostic use/ LYMPHOMA, radionuclide imaging/ MALE/ MIDDLE AGE/ *RADIOISOTOPES, diagnostic use/ THROMBOCYTOPENIA, radionuclide imaging/ *THROMBOEMBOLISM, radionuclide imaging

Schmitz-Huebner U, Bünte H, Freise G, et al: Clinical efficacy of low molecular weight heparin in postoperative thrombosis prophylaxis. Klin Wochenschr 1984 Apr 16; 62(8):349–53
ADULT/ CLINICAL TRIALS/ FEMALE/ FRACTIONATION/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ MOLECULAR WEIGHT/ POSTOPERATIVE COMPLICATIONS, prevention & control/ SUPPORT, NON-U.S. GOV'T/ *THROMBOSIS, prevention & control

Schöön IM, Holm J, Lindberg B, et al: Hemodynamic findings before and after resection of abdominal aortic aneurysm. Acta Chir Scand 1984;150(6):451–6
AGED/ AORTA, ABDOMINAL, surgery/ *AORTIC ANEURYSM, physiopathology/ AORTIC ANEURYSM, surgery/ BLOOD VESSEL PROSTHESIS/ FEMALE/ *HEMODYNAMICS/ HEPARIN, therapeutic use/ HUMAN/ INTERMITTENT CLAUDICATION, diagnosis/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS/ PULMONARY EMBOLISM, radionuclide imaging/ THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, radionuclide imaging

Seifter EJ, Young RC, Longo DL: Deep venous thrombosis during therapy for Hodgkin's disease. Cancer Treat Rep 1985 Sep;69(9):1011–3
ADOLESCENCE/ ADULT/ *ANTINEOPLASTIC AGENTS, COMBINED, adverse effects/ FEMALE/ FOLLOW-UP STUDIES/ HEPARIN, therapeutic use/ *HODGKIN'S DISEASE, drug therapy/ HODGKIN'S DISEASE, pathology/ HUMAN/ MALE/ MIDDLE AGE/ NEOPLASM STAGING/ RETROSPECTIVE STUDIES/ *THROMBOPHLEBITIS, chemically induced/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, radionuclide imaging

Settlemire WE, Beneson DE: Deep venous thrombosis and pulmonary embolism. J Am Podiatry Assoc 1984 Jun; 74(6):268–83 (38 ref.)
ANTICOAGULANTS, administration & dosage/ DIAGNOSIS, DIFFERENTIAL/ HEPARIN, administration & dosage/ HUMAN/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, prevention & control/ REVIEW/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, physiopathology/ ULTRASONICS, diagnostic use

Shahar J, Angelillo VA, Weise DL: Pulmonary infarct incorrectly diagnosed as lung cancer. Nebr Med J 1985 Aug;70(8):288–91
AGED/ CASE REPORT/ DIAGNOSTIC ERRORS/ HUMAN/ *LUNG NEOPLASMS, diagnosis/ MALE/ *PULMONARY EMBOLISM, diagnosis

Sharma GV, McIntyre KM: Pulmonary embolism. Cardiol Clin 1984 May;2(2):269–74
ANGIOGRAPHY/ ELECTROCARDIOGRAPHY/ EMERGENCIES/ FILTRATION, instrumentation/ HEPARIN, therapeutic use/ HUMAN/ LUNG, radionuclide imaging/ OXYGEN, blood/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, prevention & control/ PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, therapy/ PULMONARY VEINS, radiography/ STREPTOKINASE, therapeutic use/ THORACIC RADIOGRAPHY/ UROKINASE, therapeutic use

Sherman M: Thrombophylaxis with antiembolism stockings. Orthop Nurs 1985 Jul-Aug;4(4):33–7

*CLOTHING/ HUMAN/ PRESSURE/ *THROMBOPHLEBITIS, prevention & control

Shure D, Gregoratos G, Moser KM: Fiberoptic angioscopy: role in the diagnosis of chronic pulmonary arterial obstruction. Ann Intern Med 1985 Dec;103(6 (Pt 1)):844–50
ADULT/ AGED/ *ARTERIAL OCCLUSIVE DISEASES, diagnosis/ CASE REPORT/ CHRONIC DISEASE/ COMPARATIVE STUDY/ DIAGNOSIS, DIFFERENTIAL/ ENDOSCOPY, methods/ EVALUATION STUDIES/ FEMALE/ FIBER OPTICS/ HUMAN/ HYPERTENSION, PULMONARY, pathology/ MALE/ MIDDLE AGE/ PULMONARY ARTERY, abnormalities/ *PULMONARY ARTERY, pathology/ *PULMONARY EMBOLISM, diagnosis/ SUPPORT, NON-U.S. GOV'T/ THROMBOPHLEBITIS, complications

Siddiqui AR: Computation of ventilation-perfusion studies ratio with krypton-81 pulmonary embolism [letter] J Nucl Med 1985 May;26(5):549
ANIMAL/ HUMAN/ *KRYPTON, diagnostic use/ *PULMONARY EMBOLISM, radionuclide imaging/ *RADIOISOTOPES, diagnostic use/ *VENTILATION-PERFUSION RATIO

Silberstein EB, Robbins PJ, Fortman DL, et al: Venous uptake of 201T1 as thallous chloride. Nucl Med Commun 1984 May;5(5):329–37
ADENOSINE TRIPHOSPHATASE, SODIUM, POTASSIUM, antagonists & inhibitors/ ANIMAL/ COMPARATIVE STUDY/ DIGOXIN, pharmacodynamics/ HUMAN/ *RADIOISOTOPES, diagnostic use/ RATS/ RATS, INBRED STRAINS/ SUPPORT, NON-U.S. GOV'T/ TECHNETIUM TC 99M AGGREGATED ALBUMIN, diagnostic use/ TECHNETIUM TC 99M PERTECHNETATE, diagnostic use/ *THALLIUM, diagnostic use/ THALLIUM, metabolism/ THROMBOPHLEBITIS, radionuclide imaging/ TIME FACTORS/ *VEINS, radionuclide imaging

Simon NL, Orr JW Jr, Hatch KD, et al: Lower extremity edema due to deep vein thrombosis in patients with recurrent cervix cancer. Gynecol Oncol 1984 Sep; 19(1):30–3
ADULT/ AGED/ CERVIX NEOPLASMS, complications/ *CERVIX NEOPLASMS, radiography/ EDEMA, etiology/ *EDEMA, radiography/ FEMALE/ HEPARIN, therapeutic use/ HUMAN/ MIDDLE AGE/ NEOPLASM RECURRENCE, LOCAL/ PAIN, etiology/ PALLIATIVE TREATMENT/ PHLEBOGRAPHY/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, radiography

Singer I, Royal HD, Uren RF, et al: Radionuclide plethysmography and Tc-99m red blood cell venography in venous thrombosis: comparison with contrast venography. Radiology 1984 Jan;150(1):213–7
ADULT/ AGED/ CONTRAST MEDIA/ *ERYTHROCYTES/ FEMALE/ HUMAN/ LEG/ MALE/ MIDDLE AGE/ *PHLEBOGRAPHY, methods/ *PLETHYSMOGRAPHY, methods/ PROBABILITY/ PROSPECTIVE STUDIES/ *TECHNETIUM, diagnostic use/ THROMBOPHLEBITIS, radiography/ *THROMBOPHLEBITIS, radionuclide imaging

Singh A, Holmes RA, Witten DM: Rapid resolution of perfusion/ventilatory abnormalities in pulmonary air embolism. Clin Nucl Med 1985 May;10(5):327–9
AGED/ CASE REPORT/ *EMBOLISM, AIR, radionuclide imaging/ FEMALE/ HUMAN/ PULMONARY CIRCULATION/ *PULMONARY EMBOLISM, radionuclide imaging/ TECHNETIUM TC 99M AGGREGATED ALBUMIN, diagnostic use/ TIME FACTORS/ VENTILATION-PERFUSION RATIO/ XENON RADIOISOTOPES, diagnostic use

Smith K: Preventing postoperative venous thrombosis. Nurs Mirror 1985 May 15;160(20):29–30
*CLOTHING/ HUMAN/ POSTOPERATIVE CARE/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Sors H, Safran D, Stern M, et al: An analysis of the diagnostic methods for acute pulmonary embolism. Intensive Care Med 1984;10(2):81–3
ACUTE DISEASE/ ANGIOGRAPHY/ CARBON DIOXIDE, blood/ DIAGNOSTIC ERRORS/ ELECTROCARDIOGRAPHY/ HUMAN/ OXYGEN, blood/ PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography

Strandness DE Jr: Echo-Doppler (duplex) ultrasonic scanning. J Vasc Surg 1985 Mar;2(2):341–4
ABDOMEN, blood supply/ BLOOD FLOW VELOCITY/ CAROTID ARTERY DISEASES, diagnosis/ HUMAN/ LEG, blood supply/ THROMBOPHLEBITIS, diagnosis/ *ULTRASONIC DIAGNOSIS/ ULTRASONIC DIAGNOSIS, instrumentation/ VASCULAR DISEASES, diagnosis

Stulberg BN, Insall JN, Williams GW, et al: Deep-vein thrombosis following total knee replacement. An analysis of six hundred and thirty-eight arthroplasties. J Bone Joint Surg [Am] 1984 Feb;66(2):194–201
ADULT/ AGED/ ANTICOAGULANTS, therapeutic use/ FEMALE/ HUMAN/ *KNEE PROSTHESIS/ MALE/ MIDDLE AGE/ PHLEBOGRAPHY/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, etiology/ RISK/ *THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, radiography

Subbarao J, Smith J: Pulmonary embolism during stroke rehabilitation. IMJ 1984 May;165(5):328–32
AGE FACTORS/ AGED/ ANTICOAGULANTS, therapeutic use/ *CEREBROVASCULAR DISORDERS, complications/ CEREBROVASCULAR DISORDERS, rehabilitation/ FEMALE/ HUMAN/ MALE/ MIDDLE AGE/ PREMEDICATION/ *PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, prevention & control/ SUPPORT, NON-U.S. GOV'T/ THROMBOSIS, etiology/ TIME FACTORS

Sue-Ling HM, Davies JA, Prentice CR, et al: Effects of oral stanozolol used in the prevention of postoperative deep vein thrombosis on fibrinolytic activity. Thromb Haemost 1985 Feb 18;53(1):141–2
COMPARATIVE STUDY/ *FIBRINOLYSIS, drug effects/ GLYCOPROTEINS, metabolism/ HEPARIN, therapeutic use/ HUMAN/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ *STANOZOLOL, therapeutic use/ SUPPORT, NON-U.S. GOV'T/ *THROMBOPHLEBITIS, prevention & control/ TIME FACTORS

Suomalainen O, Kettunen K, Rissanen V, et al: The 125I-labelled fibrinogen uptake test in elective hip surgery. Ann Clin Res 1985;17(1):24–6
*FIBRINOGEN, diagnostic use/ *HIP, surgery/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ MIDDLE AGE/ *POSTOPERATIVE COMPLICATIONS, diagnosis/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, prevention & control/ WARFARIN, therapeutic use

Swann KW, Black PM: Deep vein thrombosis and pulmonary emboli in neurosurgical patients: a review. J Neurosurg 1984 Dec;61(6):1055–62 (88 ref.)
FEMALE/ HEPARIN, therapeutic use/ HUMAN/ MALE/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, drug therapy/ PULMONARY EMBOLISM, etiology/ *PULMONARY EMBOLISM, prevention & control/ REVIEW/ RISK/ THROMBOPHLEBITIS, complications/ THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, etiology/

*THROMBOPHLEBITIS, prevention & control

Swierstra BA, van Oosterhout FJ, Ausema B, et al: Oral anticoagulants and dextran for prevention of venous thrombosis in orthopaedics. Acta Orthop Scand 1984 Jun; 55(3):251–3
ACENOCOUMAROL, adverse effects/ ACENOCOUMAROL, therapeutic use/ *ANTICOAGULANTS, therapeutic use/ COMPARATIVE STUDY/ DEXTRANS, adverse effects/ *DEXTRANS, therapeutic use/ FEMALE/ HEMORRHAGE, chemically induced/ HUMAN/ INTRAOPERATIVE CARE/ MALE/ *ORTHOPEDICS/ POSTOPERATIVE CARE/ POSTOPERATIVE COMPLICATIONS, etiology/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PREMEDICATION/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

T

Thickman D, Kressel HY, Axel L: Demonstration of pulmonary embolism by magnetic resonance imaging. AJR 1984 May;142(5):921–2
AGED/ CASE REPORT/ COMPARATIVE STUDY/ CONTRAST MEDIA/ FEMALE/ HUMAN/ *NUCLEAR MAGNETIC RESONANCE, diagnostic use/ PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography

Thomas DP: Venous thrombogenesis. Annu Rev Med 1985; 36:39–50 (60 ref.)
ANIMAL/ BLOOD COAGULATION FACTORS, metabolism/ BLOOD COAGULATION/ GLYCOPROTEINS, blood/ HEPARIN, therapeutic use/ HUMAN/ *LEG, blood supply/ POSTOPERATIVE COMPLICATIONS, etiology/ RABBITS/ REVIEW/ THROMBIN, biosynthesis/ THROMBIN, pharmacodynamics/ *THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, pathology/ THROMBOPHLEBITIS, prevention & control/ VEINS, drug effects/ VEINS, injuries/ VEINS, pathology

Törngren S, Kettunen K, Lahtinen J, et al: A randomized study of a semisynthetic heparin analogue and heparin in prophylaxis of deep vein thrombosis. Br J Surg 1984 Nov;71(11):817–20
ADULT/ AGED/ *ANTICOAGULANTS, therapeutic use/ CHONDROITIN SULFATES, administration & dosage/ *CHONDROITIN SULFATES, therapeutic use/ *CHONDROITIN, analogs & derivatives/ COMPARATIVE STUDY/ DOUBLE-BLIND METHOD/ FEMALE/ HEMORRHAGE, etiology/ *HEPARIN, therapeutic use/ HUMAN/ INTRAOPERATIVE COMPLICATIONS/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ RANDOM ALLOCATION/ RISK/ SURGERY, OPERATIVE/ *THROMBOPHLEBITIS, prevention & control

Torre RJ, Caputo LJ: Calcaneal fracture with pulmonary embolism. J Foot Surg 1984 Mar-Apr;23(2):129–30
ADULT/ *CALCANEUS, injuries/ CASE REPORT/ *FRACTURES, complications/ HUMAN/ MALE/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, etiology

Towne JB, Bandyk DF, Hussey CV, et al: Abnormal plasminogen: a genetically determined cause of hypercoagulability. J Vasc Surg 1984 Nov;1(6):896–902
ADULT/ ALPHA MACROGLOBULINS, analysis/ ALPHA 1-ANTITRYPSIN, analysis/ ANTIGENS, analysis/ ANTIPLASMIN, analysis/ ANTITHROMBINS, analysis/ BLOOD COAGULATION TESTS/ FEMALE/ FOLLOW-UP STUDIES/ GEL DIFFUSION TESTS/ HUMAN/ IMMUNOELECTROPHORESIS/ MALE/ MIDDLE AGE/ PEDIGREE/ *PLASMINOGEN/ PLASMINOGEN, analysis/ PLASMINOGEN, immunology/ POSTOPERATIVE COMPLICATIONS/ RECURRENCE/ THROMBOEMBOLISM, blood/ *THROMBOEMBOLISM, familial & genetic/ THROMBOSIS, familial & genetic/ THROMBOSIS, prevention & control/ THROMBOSIS, surgery/ WARFARIN, therapeutic use

Tuel SM, Carr RG, Sliwa JA: Deep vein thrombosis [letter] Arch Phys Med Rehabil 1985 Nov;66(11):796
HUMAN/ MALE/ PLETHYSMOGRAPHY/ *THROMBOPHLEBITIS, diagnosis/ ULTRASONIC DIAGNOSIS

Turner GM, Cole SE, Brooks JH: The efficacy of graduated compression stockings in the prevention of deep vein thrombosis after major gynaecological surgery. Br J Obstet Gynaecol 1984 Jun;91(6):588–91
ADULT/ *CLOTHING/ FEMALE/ *GENITALIA, FEMALE, surgery/ HUMAN/ MIDDLE AGE/ POSTOPERATIVE PERIOD/ PROSPECTIVE STUDIES/ *THROMBOPHLEBITIS, prevention & control

Turpie AG, Gent M, Doyle DJ, et al: An evaluation of suloctidil in the prevention of deep vein thrombosis in neurosurgical patients. Thromb Res 1985 Jul 15; 39(2):173–81
BRAIN NEOPLASMS, surgery/ *CENTRAL NERVOUS SYSTEM, surgery/ CEREBRAL HEMORRHAGE, surgery/ FEMALE/ HEAD INJURIES, surgery/ HUMAN/ MALE/ MIDDLE AGE/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ *PROPANOLAMINES, therapeutic use/ RISK/ SPINAL CORD INJURIES, surgery/ SPINAL CORD NEOPLASMS, surgery/ *SULOCTIDIL, therapeutic use/ *THROMBOPHLEBITIS, prevention & control

V

Van de Water JM, Nelson KK, Kim HW, et al: Screening for the potential pulmonary embolism victim. J Cardiovasc Surg (Torino) 1985 Mar-Apr;26(2):124–30
FALSE NEGATIVE REACTIONS/ FALSE POSITIVE REACTIONS/ HUMAN/ *LEG, blood supply/ MASS SCREENING, methods/ PLETHYSMOGRAPHY, IMPEDANCE/ PULMONARY EMBOLISM, etiology/ *PULMONARY EMBOLISM, prevention & control/ REGIONAL BLOOD FLOW/ RISK/ THROMBOPHLEBITIS, complications/ *THROMBOPHLEBITIS, diagnosis

van der Meer J, Donker AJ: Diagnosis of deep venous thrombosis. Neth J Med 1984;27(8):298–304 (50 ref.)
FIBRINOGEN, diagnostic use/ HUMAN/ IODINE RADIOISOTOPES, diagnostic use/ PHLEBOGRAPHY, adverse effects/ PLETHYSMOGRAPHY, IMPEDANCE/ REVIEW/ THERMOGRAPHY/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, radiography/ THROMBOPHLEBITIS, radionuclide imaging/ ULTRASONIC DIAGNOSIS

Vea HW, Sirotta PS, Nelp WB: Ventilation-perfusion scanning for pulmonary embolism: refinement of predictive value through Bayesian analysis. AJR 1985 Nov;145(5):967–72
BAYES THEOREM/ HUMAN/ *LUNG, radiography/ PROSPECTIVE STUDIES/ *PULMONARY ARTERY, radiography/ PULMONARY EMBOLISM, radiography/ *PULMONARY EMBOLISM, radionuclide imaging/ *VENTILATION-PERFUSION RATIO

Viinikka L: An antagonist of prostaglandin synthesis in cardiovascular diseases. Ann Clin Res 1984;16(5–6):262–8 (57 ref.)
ARTERIAL OCCLUSIVE DISEASES, drug therapy/ ASPIRIN, therapeutic use/ ATHEROSCLEROSIS, prevention & control/ BRAIN DISEASES, prevention & control/ *CARDIOVASCULAR DISEASES, drug

therapy/ CONSTRICTION, PATHOLOGIC, prevention & control/ HUMAN/ MYOCARDIAL INFARCTION, prevention & control/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSTAGLANDIN ANTAGONISTS, administration & dosage/ *PROSTAGLANDIN ANTAGONISTS, therapeutic use/ REVIEW/ THROMBOSIS, prevention & control

Vincent A, Poli S, Perret C: Diagnostic approach to pulmonary embolism: our strategy. Intensive Care Med 1984;10(2):85–9
ACUTE DISEASE/ ANGIOGRAPHY/ ELECTROCARDIOGRAPHY/ HUMAN/ PULMONARY ARTERY, radiography/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging

W

Weiner CP: Diagnosis and management of thromboembolic disease during pregnancy. Clin Obstet Gynecol 1985 Mar; 28(1):107–18 (67 ref.)
ACUTE DISEASE/ ASPIRIN, therapeutic use/ BACTERIAL INFECTIONS, complications/ FEMALE/ HEPARIN, administration & dosage/ HEPARIN, adverse effects/ HEPARIN, therapeutic use/ HUMAN/ OVARY, blood supply/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ *PREGNANCY COMPLICATIONS, CARDIOVASCULAR/ PREGNANCY COMPLICATIONS, CARDIOVASCULAR, diagnosis/ PREGNANCY COMPLICATIONS, CARDIOVASCULAR, drug therapy/ PREGNANCY COMPLICATIONS, CARDIOVASCULAR, prevention & control/ PREGNANCY/ PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, drug therapy/ RENAL VEINS/ REVIEW/ *THROMBOEMBOLISM/ THROMBOEMBOLISM, diagnosis/ THROMBOEMBOLISM, drug therapy/ THROMBOEMBOLISM, prevention & control/ THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, drug therapy/ THROMBOPHLEBITIS, radiography/ ULTRASONIC DIAGNOSIS/ VENA CAVA, INFERIOR/ WARFARIN, adverse effects/ WARFARIN, therapeutic use

Wheeler HB: Diagnosis of deep vein thrombosis. Review of clinical evaluation and impedance plethysmography. Am J Surg 1985 Oct 8;150(4A):7–13
COMPUTERS/ COST BENEFIT ANALYSIS/ HUMAN/ LEG, blood supply/ PAIN/ PHYSICAL EXAMINATION/ *PLETHYSMOGRAPHY, IMPEDANCE/ POSTOPERATIVE COMPLICATIONS, diagnosis/ REGIONAL BLOOD FLOW/ RISK/ *THROMBOPHLEBITIS, diagnosis/ VENOUS INSUFFICIENCY, diagnosis

Widimsky J: The diagnosis of pulmonary embolism. G Ital Cardiol 1984;14 Suppl 1:6–12
ANGIOGRAPHY/ BLOOD PRESSURE DETERMINATION, methods/ COMPARATIVE STUDY/ DIAGNOSIS, DIFFERENTIAL/ ECHOCARDIOGRAPHY/ ELECTROCARDIOGRAPHY/ HUMAN/ MONITORING, PHYSIOLOGIC, methods/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, radiography/ PULMONARY EMBOLISM, radionuclide imaging

Wille-Jørgensen P, Kjaergaard J: Prophylaxis of postoperative deep venous thrombosis [letter] JAMA 1985 Feb 22;253(8):1120
*DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS/ *HEPARIN, therapeutic use/ HUMAN/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ *THROMBOPHLEBITIS, prevention & control/ THROMBOPHLEBITIS, radionuclide imaging

Winter JH, Fenech A, Bennett B, et al: Prophylactic antithrombotic therapy with stanozolol in patients with familial antithrombin III deficiency. Br J Haematol 1984 Jul;57(3):527–37
ANTITHROMBIN III, analysis/ *ANTITHROMBIN III, deficiency/ BLOOD COAGULATION TESTS/ CHOLESTEROL, blood/ FIBRINOLYSIS, drug effects/ HUMAN/ LIPOPROTEINS, HDL, blood/ MALE/ MIDDLE AGE/ PLASMINOGEN, metabolism/ *STANOZOLOL, therapeutic use/ *THROMBOSIS, prevention & control

Wittert D, Barden R: Deep vein thrombosis, pulmonary embolism, and prophylaxis in the orthopaedic patient. Orthop Nurs 1985 Jul–Aug;4(4):27–32
ANTICOAGULANTS, therapeutic use/ HUMAN/ *ORTHOPEDICS/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, prevention & control/ RISK/ THROMBOPHLEBITIS, diagnosis/ *THROMBOPHLEBITIS, prevention & control

Woodruff ML: Pulmonary thromboembolism: risk factors, pathophysiology, and management (continuing education credit). Crit Care Nurse 1984 Jul–Aug;4(4):50–63
ANTICOAGULANTS, therapeutic use/ EDUCATION, NURSING, CONTINUING/ HUMAN/ PULMONARY EMBOLISM, diagnosis/ *PULMONARY EMBOLISM, nursing/ PULMONARY EMBOLISM, physiopathology/ RISK/ THROMBOEMBOLISM, nursing

Y

Yasuno M, Onodera T, Kawata R, et al: Pulmonary embolism as a complication of transfemoral arteriography--incidence, symptoms, and prevention. Jpn Circ J 1984 May;48(5):439–44
ADULT/ AGED/ *ANGIOGRAPHY, adverse effects/ ANGIOGRAPHY, methods/ CEREBRAL ANGIOGRAPHY, adverse effects/ CORONARY VESSELS, radiography/ FEMALE/ FEMORAL ARTERY/ HEPARIN, administration & dosage/ HUMAN/ LUNG, radionuclide imaging/ MALE/ MIDDLE AGE/ *PULMONARY EMBOLISM, etiology/ PULMONARY EMBOLISM, prevention & control/ THROMBOPHLEBITIS, prevention & control

Young JR: Evaluation of the patient with spontaneous thrombophlebitis. Postgrad Med 1985 Aug;78(2):149–56
HUMAN/ MEDICAL HISTORY TAKING/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY/ *THROMBOPHLEBITIS, diagnosis/ THROMBOPHLEBITIS, etiology/ THROMBOPHLEBITIS, physiopathology/ ULTRASONIC DIAGNOSIS

ANONYMOUS

J Vasc Surg
Prophylactic efficacy of low-dose dihydroergotamine and heparin in postoperative deep venous thrombosis following intra-abdominal operations. J Vasc Surg 1984 Sep;1(5):608–16
*ABDOMEN, surgery/ ADULT/ CLINICAL TRIALS/ COMPARATIVE STUDY/ DIHYDROERGOTAMINE, administration & dosage/ *DIHYDROERGOTAMINE,

therapeutic use/ DOUBLE-BLIND METHOD/ DRUG THERAPY, COMBINATION/ FEMALE/ HEPARIN, administration & dosage/ *HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE CARE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PREMEDICATION/ PROSPECTIVE STUDIES/ *PULMONARY EMBOLISM, prevention & control/ RANDOM ALLOCATION/ RISK/ *THROMBOPHLEBITIS, prevention & control

JAMA

Dihydroergotamine-heparin prophylaxis of postoperative deep vein thrombosis [letter] JAMA 1985 Feb 1; 253(5):636-7

BODY WEIGHT/ *DIHYDROERGOTAMINE, administration & dosage/ DRUG THERAPY, COMBINATION/ FEMALE/ *HEPARIN, administration & dosage/ HUMAN/ MALE/ *POSTOPERATIVE COMPLICATIONS, prevention & control/ RISK/ *THROMBOPHLEBITIS, prevention & control

Dihydroergotamine-heparin prophylaxis of postoperative deep vein thrombosis. A multicenter trial. The Multicenter Trial Committee. JAMA 1984 Jun 8; 251(22):2960-6

ADULT/ CLINICAL TRIALS/ *DIHYDROERGOTAMINE, analogs & derivatives/ DIHYDROERGOTAMINE, administration & dosage/ DIHYDROERGOTAMINE, therapeutic use/ DOUBLE-BLIND METHOD/ DRUG THERAPY, COMBINATION/ FEMALE/ *HEPARIN, administration & dosage/ HEPARIN, therapeutic use/ HUMAN/ MALE/ MIDDLE AGE/ POSTOPERATIVE COMPLICATIONS, prevention & control/ PROSPECTIVE STUDIES/ THROMBOPHLEBITIS, etiology/ *THROMBOPHLEBITIS, prevention & control

From the NIH. Ultrasound procedure for diagnosis of pulmonary embolism. JAMA 1984 Mar 16;251(11):1417

ATELECTASIS, diagnosis/ DIAGNOSIS, DIFFERENTIAL/ HUMAN/ PNEUMONIA, diagnosis/ *PULMONARY EMBOLISM, diagnosis/ *ULTRASONICS, diagnostic use

Lancet

Diagnosis of deep-vein thrombosis [letter] Lancet 1984 Nov 17;2(8412):1152-3

HUMAN/ PHLEBOGRAPHY/ PLETHYSMOGRAPHY, IMPEDANCE/ *THROMBOPHLEBITIS, diagnosis

Med Lett Drugs Ther

Dihydroergotamine-heparin to prevent postoperative deep vein thrombosis. Med Lett Drugs Ther 1985 May 24; 27(688):45-6

CLINICAL TRIALS/ DIHYDROERGOTAMINE, adverse effects/ *DIHYDROERGOTAMINE, therapeutic use/ DRUG COMBINATIONS, adverse effects/ DRUG COMBINATIONS, therapeutic use/ HEPARIN, adverse effects/ *HEPARIN, therapeutic use/ HUMAN/ INJECTIONS, SUBCUTANEOUS/ *POSTOPERATIVE COMPLICATIONS, occurrence/ *THROMBOPHLEBITIS, prevention & control

N Engl J Med

Prevention of venous thrombosis after total hip replacement [letter] N Engl J Med 1984 Apr 5; 310(14):927-8

*HEPARIN, administration & dosage/ HIP FRACTURES, surgery/ *HIP PROSTHESIS/ HUMAN/ POSTOPERATIVE COMPLICATIONS, prevention & control/ *THROMBOPHLEBITIS, prevention & control

Nurs Life

Coping with pulmonary embolism. A guide to understanding, diagnosing, and preventing it (continuing education unit). Nurs Life 1984 Jan-Feb;4(1):35-40

HUMAN/ *PULMONARY EMBOLISM, diagnosis/ PULMONARY EMBOLISM, prevention & control

*U.S. GOVERNMENT PRINTING OFFICE: 1986-491-292:41042

DEPARTMENT OF
HEALTH & HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL INSTITUTES OF HEALTH
NATIONAL LIBRARY OF MEDICINE
BETHESDA, MARYLAND 20209

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, $300

POSTAGE AND FEES PAID
U. S. DEPT. OF H.H.S.
HHS 396